

# SENIOR LIVING

PRODUCT GUIDE



# NOT JUST PRODUCTS. SOLUTIONS.

The senior living industry must accommodate ever growing high-bandwidth applications, such as: wireless access points, distributed antenna systems (DAS), resident tracking, emergency help stations, access control, and HD video security along with healthcare administrative systems within the facility. The more challenging your low voltage cabling system becomes the more challenging it is to know which products to use, how to budget them, and how to design for the future.

## WE GET IT.

That's why our customers rely on OCC for more than just products. Customers can also count on our team of Multimedia Design Integration Specialists (MDIS Certified Installers) and channel partners, to provide the expertise required for seamless network design and integration along with optimum reliability.

## TABLE OF CONTENTS

Page 2-3	The OCC Difference & Extended Warranty
Page 4-11	OCC Intelligent Senior Living Communities
Page 12	What is Passive Optical LAN?
Page 13	Why OCC Passive Optical LAN?
Page 14-15	OCC Solution Highlights

# CUSTOM-BUILT SOLUTIONS IN NETWORK DESIGN

## RELIABILITY TESTING & INNOVATION

At OCC, we take reliability seriously. So seriously in fact, that we independently test all of our cables *well above* industry standards to ensure the highest quality products for your high-performance network.

## TECHNICAL & DESIGN-BUILD EXPERTISE

You get more than just products from OCC. More and more of our customers rely on OCC's design-build expertise. Our design engineers and technical staff provide unprecedented service, support, and assistance.

## ONE-STOP SHOP

Since OCC provides one of the largest network solutions portfolio in the industry, many of our customers rely on us as their *one-source* solutions provider. From the most reliable end-to-end cabling and connectivity systems down to the shortest patch cable, we can meet every one of your network needs.

## CUSTOMER DERIVED INNOVATIONS

We partner with you, our customer, and listen to your needs. Thanks to our customers, we've designed, innovated, and customized some of the best solutions in the industry for the speed, immediate scalability, space savings, and ultra high performance demanded by minimum downtime enterprise networks of all sizes.

## COMPETITIVE WARRANTY PROGRAMS

OCC, in conjunction with certified MDIS installers around the world, is able to offer various competitive warranty and extended warranty programs. OCC offers warranty plans that provide a flexible approach to ensuring a long-lasting network installation.

## QUICK SHIPPING



SAME DAY SHIPPING ON IN-STOCK ITEMS IF ORDERED BY 12PM, EST.



**RELIABLE.  
DURABLE.  
READY TO SHIP.**

## CABLING INFRASTRUCTURE

OCC offers a broad portfolio of cables in a myriad of fiber types, counts, ruggedness, and construction styles to meet your specific needs. More than just battle-tested cables, OCC also manufactures cables for a wide range of environments, including the controlled environments found in enterprise settings.

## ENTERPRISE CONNECTIVITY & ASSEMBLIES

OCC's wide range of connectivity products—including enclosures, adapter plates, connectors, and pre-terminated cable assemblies — provide a reliable cable termination solution that make Moves/Adds/Changes (MAC's) fast and easy to minimize operational costs.

## CABLE MANAGEMENT & RACK SYSTEMS

The Procyon® Blade™ is a revolutionary, high-density fiber management system from OCC that literally turned fiber management on its edge. The Procyon Blade is designed to work seamlessly with OCC's high-density HC Cable to provide terminations for up to 288 fibers when using LC connectors.



# OCC INTELLIGENT SENIOR LIVING COMMUNITIES

## SENIOR'S NEEDS ARE EVER-CHANGING IN COMPLEXITY

According to the US Census Bureau, by the year 2050 the nation's 65-and-older population is projected to reach 83.7 million. Almost *double* the 2012 population of 43.1 million. This huge demographic shift will continue to feed increased demand for larger and more diverse senior living communities.

Senior living options include independent living, assisted living, and skilled nursing care as well as continuing care retirement communities (CCRC). Seniors demand comfortable living spaces and amenities to accommodate all care levels. They are technologically savvy so a well-designed, cost-effective, integrated low voltage cabling system is critical to the operational success of any new facility.



## OCC OUTDOOR SECURITY CAMERA, WI-FI, AND ACCESS CONTROL COPPER SOLUTIONS

DESCRIPTION	OCC PART #
Category 6 Outside Plant, 4-Pair Copper Cable	OCC-U640SP
Category 6, 24-Port, 110-Patch Panel	DCC2488/110SIX
KMJ Category 6 Jack, Universal 568A/B Wiring	KMJA6xx
Category 6 UTP Patch Cord, With Boot, UL	PCSIXxxByy
Surface Mount Enclosure, KMJ, 1-Port	SMEK1xx
Wall Mount Cabinet, Black, 24"H x 21"W x 24"D	WC1238
Outdoor / Indoor Wall Mount Cabinet, 6-Port, NEMA 3 Outdoor Rated, Holds 1 Adapter Plate	OC06N

\* XX = Color Code, See Product Highlights Section for Details.


## OCC OUTDOOR SECURITY CAMERA AND WI-FI COPPER/FIBER HYBRID CABLE SOLUTION

DESCRIPTION	OCC PART #
Slimline-Riser Indoor/Outdoor PLTC Hybrid Cable , 18 AWG, Copper-2 Strand, OM-3	CE004DPTC9QR
10"H x 8"W x 4"D, NEMA-4X Enclosure, Includes 1 Din Rail Black, 1 Small Compression Fitting	OC012NX-DR2
Fiber Conn, Pre-Polished, SC Xpress Ultra Connector, OM3/OM4, 2/3mm	RFC-SC5G-2/3MM
RTC Fiber Enclosure, Rack Mount, 1RU, 3 Adapter Plates, Black	RTC1U-3APB
Fiber Adapter Plate, 12-port, Dual SC, Multimode, 50µm, Composite Sleeve, 10 GbE	6112DSC50G
19" Wall Mount Swing Rack, Black, 23.5"H x 20.6"W x 25"D	SR225



## OCC CAMPUS FIBER OPTIC BACKBONE SOLUTIONS

DESCRIPTION	OCC PART #
RTC Fiber Enclosure, Rack Mount, 1RU, 3 Adapter Plates, Black	RTC1U-3APB
Wall Mount Fiber Cabinet, 12- or 24-Port, Holds up to 4 Adapter Plates, 13"H x 12"W x 3.5"D	WTC12/24
R-Series, Rack Mount Fiber Splice Tray Kit, for Use with RTC/RTS2U	RS1U2T
Fiber Pigtail Assembly, 50µm, OM3, LC, 12-Fiber, 1-Meter	P5GLC12-1M
Adapter Plate, 24-Port, Quad LC, Multimode, 50µm 10 Gig, Composite Sleeve	6124QLC50G
DX-Series Distribution, Riser, 24-Fiber 50/125µm OM3 Ultra-Fox™ Indoor / Outdoor, Aqua Jacket	DX024DALT9QP
Rack Max 45RU Cable Management Rack, 19-Inch or 23-Inch Mounting	CMR45




A STRUCTURED CABLING SYSTEM IS MORE THAN JUST CONNECTING POINT 'A' TO POINT 'B'

Senior living facility developers and managers face many challenges keeping new projects on track while balancing economic and scheduling pressures. The low voltage infrastructure may seem like a distant concern, however, taking the time to consider how each cabling sub-system will be combined into a single integrated low voltage system is well worth the effort. This small portion of the overall project budget can contribute to the majority of a network's issues.

A well-designed and implemented, cost-effective, low voltage cabling system sets the foundation of success for any new senior living community should support your facility throughout it's lifetime, not just the first few years .


Whether you are pulling fiber into a neighborhood, or installing wireless access points in a clinic, your low voltage cabling system will need to deliver maximum performance and bandwidth to the end-user.



OCC'S KMJ SERIES JACKS are available in multiple colors and CAT5e, CAT6 and CAT6A performance levels. They are compatible with KMJ series faceplates and panels.

OCC FIRE ALARM, CODE BLUE/EMERGENCY HELP STATIONS FIBER SOLUTIONS

DESCRIPTION	OCC PART #
B-Series Breakout Riser Rated Indoor/Outdoor Cable, 2-Strand, 50µm, OM3	BE002DALT9KR
Riser, Indoor/Outdoor, 2-Strand, OM3, 2 Conductor 18 AWG Copper	CE004DPCT9QR
Xpress ST Connector- For the Panel or Help Station	FXC-ST5G-6
RTC Fiber Enclosure, Rack Mount, 1RU, 3 Adapter Plates, Black	RTC1U-3APB
Fiber Adapter Plate, 12-Port, Dual LC, Multimode, 50µm	6112DLC50G
Fiber Optic Jumper, 50um, OM3, LC-to-LC, 1-Meter, Aqua, Duplex	D5LC-LC-1MG
Fiber Connector, Pre-Polished, LC, OM3/OM4, 2/3mm	RFC-LC5G-2/3MM
19" Freestanding Server Cabinet, Black, 72"H x 25"W x 36"D	CC3807



MANAGING A SINGLE QUALIFIED SOURCE FOR INTEGRATION NEEDS

The low voltage cabling systems can help contain costs by eliminating competing infrastructure and installation scheduling. Standardization of materials simplifies inventory management while pre-terminated and kitted products facilitate rapid installation and optimum system performance.

OCC provides an industry leading end-to-end copper and fiber structured cabling solution that converges multiple low voltage systems such as, voice, video, life safety, and building automation systems (BAS) into one integrated physical infrastructure.


LET OCC's TEAM OF MULTIMEDIA DESIGN INTEGRATION SPECIALISTS

(MDIS Certified Installers), and channel partners assist you in the design and implementation of your low voltage cabling infrastructure system.

We are proud to assist our partners by offering many value added services such as custom labeling for plug-and-play solutions, kitting for rapid deployments, pre-loaded fiber enclosures for fusion splice installations, custom assemblies, and Procyon our patented high-density, splice centric, indoor/outdoor cabling solution.

"OCC has proven itself as a reliable partner time and time again. When Noovis was awarded the Passive Optical LAN contract for the Margaritaville resort in Orlando, we knew we needed a trusted manufacturer to support our infrastructure needs. OCC was extremely responsive and met every timeline that was promised."


– Eric Welty, President Noovis



OCC INDOOR WORK STATION AND WI-FI COPPER SOLUTIONS

DESCRIPTION	OCC PART #
Category 6A Plenum Cable	OCC-U6A4PLM-XX
Direct Attach Category 6A Field Terminable Plug	OCCUFP6A
Category 6A Jack	K6Axx
Rack Mount Field Configurable Patch Panel, KMJ, 48-Port, 1RU	AK481U
Category 6A Patch Cord, UTP, PVC, With Boot, UL listed	PC6AU-B-xxxy
Rack Max 45RU Cable Management Rack, 19-Inch or 23-Inch Mounting	CMR45


\* XX = Color Code, See Product Highlights Section for Details.



OCC'S CATEGORY 6A FIELD TERMINABLE PLUG is designed to support 10 Gigabit networks and can be easily terminated using parallel jaw pliers.

OCC INDOOR SECURITY CAMERA, WI-FI, AND ACCESS CONTROL COPPER SOLUTIONS

DESCRIPTION	OCC PART #
Category 6A Plenum Cable	OCC-U6A4PLM-XX
Direct Attach Category 6A Field Terminable Plug	OCCUFP6A
Rack Mount Field Configurable Patch Panel, KMJ, 48-Port, 1RU	AK481U
Category 6A patch cord, UTP, PVC, With Boot, UL listed	PC6AU-B-xxxy
Category 6A Jack	K6Axx
Surface Mount Box Enclosure, KMJ, 1-Port	SMEK1xx
Wall Mount Cabinet, Black, 24"H x 21"W x 24"D	WC1238







# OCC INTELLIGENT SENIOR LIVING COMMUNITIES

## YOUR TRUSTED PARTNER FOR COMPLEX INTEGRATED SYSTEMS

With data requirements ranging from independent living communities with fiber-to-the-apartment needs, to skilled nursing care with networked care and monitoring devices, to digital signage listing the day's activities, Senior Living projects can be quite diverse and complex in their data and networking needs. OCC, and our MDIS contractors, have the diversity of products and industry expertise to execute these complex installations.



## OCC AUDIO VISUAL, VIDEO DISPLAY BOARDS, AND DIGITAL SIGNAGE SOLUTIONS

DESCRIPTION	OCC PART #
Direct Attach Category 6A Field Terminable Plug	OCCUF6A
HDMI In-Line Coupler, Bright White	AKHDMI12
KMJ Snap-In F-Coupler	AKF12
Category 6A Plenum Cable	OCC-U6A4PLM-XX
Category 6A Patch Cord, UTP, PVC, With Boot, UL Listed	PC6AU-B-xxxy
Single Gang Smooth Faceplate, KMJ, 1-Port	FPKS01xx
Rack Mount Field Configurable Patch Panel, KMJ, 24-Port, 1RU	AK24
19" Wall Mount Swing Rack, Black, 23.5"H x 20.6"W x 25"D	SR225

## OCC RESIDENTIAL ENCLOSURES AND CONNECTIVITY FOR INDEPENDENT LIVING


DESCRIPTION	OCC PART #
15" Residential/MDU Enclosure (Cover: 18.48"W x 17.89"H)	MSDE15P
Modem/Router/Switch/ONT, Equipment Mount Bracket (3"H x 6.5"W)	MSDEP-NBKT
Passive CATV Splitter, Bi-Directional, Digital, 1 GHz, 4-Way	MODP-V4
KMJ Snap-In F-Coupler	AKFxx
Unloaded KMJ 12-Port Mounting Bracket	MODP-12PBKT
Category 6A Plenum Cable	OCC-U6A4PLM-XX
Category 6A Modular Jack, KMJ	K6Axx
Single Gang Smooth Faceplate, KMJ, 2-Port	FPKS02xx

# WHAT IS PASSIVE OPTICAL LAN?

## ○ PASSIVE OPTICAL LAN (POL), ALSO REFERRED TO AS PASSIVE OPTICAL NETWORKS (PON) OR OPTICAL LAN'S (OLAN) ARE LARGELY FIBER OPTIC BASED CONVERGED NETWORKS.

POL technology is a point-to-multipoint architecture that provides the capability to securely deliver voice, data, and IP video and/or broadband video over a single strand of optical fiber. This architecture is based upon carrier-grade passive optical network technology that has been reliably utilized in fiber-to-the-home deployments for many years.

A Passive Optical LAN is comprised of two key network electronic components: 1) Optical Line Terminal (OLT) and 2) the Optical Network Terminal (ONT). The OLT is normally located in the equipment room and aggregates optical traffic and provides the interface to edge IP network switches and routers. The ONT is normally located at the user's work station or zone enclosure and de-multiplexes the fiber optic signal into its component parts (i.e., voice/data/video) and outputs these signals on copper ports (i.e., RJ-45).



Network traffic is transported between these devices over a passive optical fiber infrastructure that generally consists of the following components:

- » Connectorized Single-Mode Optical Fiber Cable
- » Passive Optical Splitters
- » Fiber Adapter Plates and Cassette Modules
- » Fiber Enclosures (Rack/Wall/Ceiling Mount)
- » Faceplates/Surface Mount Enclosures/Pass-Through Couplers



## WHY CHOOSE OCC PASSIVE OPTICAL LAN?

**OCC'S TEAM OF EXPERTS CAN ASSIST YOU IN BUILDING THE BEST POL ARCHITECTURE TO FIT YOUR SENIOR LIVING COMMUNITY NEEDS.** Whether in a new or retrofit installation, passive optical network solutions allow higher bandwidths to be pushed to the edge of your network, enhancing the end-user experience.

Passive Optical LAN can create significant savings in both short-term and long-term expenses, making them a perfect choice for senior living communities. OCC POL solutions reduce the need for cabling infrastructure for pathways, as well as telecommunications rooms, by replacing horizontal copper cabling with fiber drop cables and work group switches with passive optical splitters.

Since POL can handle network densities far exceeding traditional LAN's, rack space can be reduced as much as 90% - providing more space for other areas in the facility. By reducing or even eliminating traditional copper-based architectures, long-term heating and cooling costs for equipment rooms are greatly reduced. Additionally, future moves and changes to your network can be performed quicker with POL's centralized management tools, all while delivering carrier-grade reliability to the enterprise space. **If you're interested in learning more let OCC and our team of integrators discuss how we can benefit your business.**

## OCC® SOLUTION HIGHLIGHTS

### D-SERIES FIBER OPTIC CABLES

Offering the durability you expect from OCC, these distribution cables provide all of the indispensable elements needed for indoor and indoor/outdoor commercial applications, all while providing great value. Our plenum-rated and riser-rated indoor/outdoor tight-buffered design allows cables to be installed in intra-building backbone and inter-building campus locations.



### MSDE RF TRANSPARENT ENCLOSURES & ACCESSORIES

The MSDE (Multiple Service Distribution Enclosure) solution is designed for MDU installations. These rugged lightweight enclosures are constructed of UL 94-V0 ABS plastic and can be flush-mounted between standard 16" stud walls or surface mounted. Voice, Data and Video Distribution modules enable analog voice, VoIP, Broadband Internet, Ethernet/IP data and RF video to be distributed to multiple outlet locations or devices.



# OCC® SOLUTION HIGHLIGHTS

## PATCH CORDS


OCC's copper patch cords are 100% factory tested and a guaranteed headroom warranty is available for OCC channel solutions that utilize OCC patch cords.

\*xx=LENGTH; yy=COLOR: 01=Yellow; 02=Black; 03=Red; 04=Green; 05=Blue; 06=Gray; 07=White; 08=Orange; 09=Brown; 10=Purple



## SNAP-IN MULTIMEDIA PANELS (UNLOADED)

The ability to provide versatile solutions to unique customer needs has been OCC's specialty for years. With OCC's Snap-In Multimedia patch panels, any combination of UMJ or KMJ style jacks and adapters can be chosen to configure a custom patch panel. All Multimedia patch panels are mountable in any 19" rack.




KMJ/UMJ	PORTS	UNSHIELDED/SHIELDED	FLAT/ANGLED	RU	OCC PART #
KMJ	24	Shielded	Flat	1	AK24STP6A*
KMJ	48	Shielded	Flat	2	AK48STP6A*
KMJ	24	Shielded	Angled	1	ACC24KS6A*
KMJ	48	Shielded	Angled	2	ACC48KS6A*
UMJ	24	Unshielded	Flat	2	A24
UMJ	48	Unshielded	Flat	2	A48H
KMJ	24	Unshielded	Flat	1	AK24
KMJ	48	Unshielded	Flat	2	AK48H
KMJ	48	Unshielded	Flat	1	AK481U
KMJ	24	Shielded	Flat	1	AK24STP
KMJ	48	Shielded	Flat	2	AK48STP
UMJ	24	Unshielded	Angled	2	ACC24U
UMJ	48	Unshielded	Angled	2	ACC48U
KMJ	24	Unshielded	Angled	1	ACC24K
KMJ	48	Unshielded	Angled	2	ACC48K
KMJ	48	Unshielded	Angled	1	ACC48K1U
KMJ	48	Shielded	Angled	2	ACC48KS
KMJ	24	Shielded	Angled	1	ACC24KS1U
KMJ	48	Shielded	Angled	1	ACC48KS1U

\*For Use With Category 6A Jacks.

## COPPER CABLES

OCC copper cables support all IEEE PoE standards for DC power delivery over 4-pair cabling when installed in accordance with TIA TSB-184-A guidelines.

\*xx=COLOR: 01=Yellow; 02=Black; 03=Red; 04=Green; 05=Blue; 06=Gray; 07=White; 08=Violet; 09=Orange



## JACKS/FIELD TERMINABLE PLUGS

In addition to providing excellent link/channel performance, OCC KMJ and UMJ jacks meet TIA component electrical performance. Category 6A shielded and unshielded field terminable plugs are backward compatible and may also be used in Category 5e and Category 6 modular plug terminated links.



\*xx=COLOR: 00=Electrical Ivory; 01=Office White; 02=Black; 03=Red; 04=Green; 05=Blue; 06=Gray; 08=Orange; 09=Yellow; 10=Purple; 11=Brown; 12=Bright White

## PATCH PANELS

OCC patch panels are available in both flat and angled styles. Category 6A patch panels utilize discrete high performance modular jacks.



## RESIDENTIAL ENCLOSURES AND CONNECTIVITY

DESCRIPTION	OCC PART #
15" Residential/MSDE Enclosure (15"H x 14.42"W)	MSDE15P
30" Residential/MSDE Enclosure (30"H x 14.42"W)	MSDE30P
Modem/Router/Switch/ONT, Equipment Mount Bracket (3"H x 6.5"W)	MSDEP-NBKT
Video Distribution Module, 1x4, 1GHz	MODP-V4
Voice Distribution Module, 4-Line Input x 6-Outputs	MODP-T406
Category 6 Data Distribution Module, 4-Port	MODP6-DB4
KMJ Snap-In F-Coupler	AKFxx

## COPPER CABLE

DESCRIPTION	OCC PART #
Category 6A UTP Plenum Cable	OCC-U6A4PLM-XX
Category 6A UTP Riser Cable	OCC-U6A4R-XX
Category 6 Outside Plant 4 Pair Copper Cable	OCC-U64OSP

## COPPER CONNECTIVITY

DESCRIPTION	OCC PART #
Rack Mount Field Configurable Patch Panel, KMJ, 48-Port, 1RU	AK481U
Rack Mount Field Configurable Patch Panel, KMJ, 24-Port, 1RU	AK24
Category 6A Keystone Jack	K6Axx
Category 6 Keystone Jack	KMJA6xx
Category 6A Patch Cord, UTP, PVC, with Boot, UL Listed	PC6AU-B-xxxy
Category 6 UTP Patch Cord, with Boot, UL Listed	PCSIXxxByy
Surface Mount Box, KMJ, 1-Port	SMEK1xx
Single Gang Stainless Steel Faceplate, KMJ, 4-Port	FPSK04SS
Single Gang Commercial Faceplate, KMJ, 4-Port	FPSK04xx
Single Gang Smooth Residential Faceplate, KMJ, 2-Port	FPKS02xx
Category 6 24 Port 110-Patch Panel	DCC2488/110SIX

## AUDIO-VISUAL, VIDEO DISPLAY BOARDS & MONITORS

DESCRIPTION	OCC PART #
Direct Attach Category 6A Field Terminable Plug	OCCUFP6A
HDMI In-Line Coupler, Bright White	AKHDMI12
KMJ Snap-In F Coupler	AKF12

## FIBER OPTIC CABLE

DESCRIPTION	OCC PART #
6-Fiber, OM3 Ultra-Fox™ Indoor/Outdoor Riser, Aqua Jacket	DX006DALT9QR
6-Fiber, OM3 Ultra-Fox™ Indoor/Outdoor Plenum, Aqua Jacket	DX006TALT9QP
12-Fiber, OM3 Ultra-Fox™ Indoor/Outdoor Riser, Aqua Jacket	DX012DALT9QR
12-Fiber, OM3 Ultra-Fox™ Indoor/Outdoor Plenum, Aqua Jacket	DX012TALT9QP
24-Fiber, OM3 Ultra-Fox™ Indoor/Outdoor Riser, Aqua Jacket	DX024DALT9QR
24-Fiber, OM3 Ultra-Fox™ Indoor/Outdoor Plenum, Aqua Jacket	DX024TALT9QP
2-Strand Indoor/Outdoor Breakout Fiber Riser, OM3	BE002DALT9KR
Hybrid Indoor/Outdoor, 18 AWG Copper-2 Strand OM3 Fiber, Riser	CE004DPCT9QR
12-Fiber, Single Mode Ultra-Fox™ Indoor/Outdoor Plenum	DX012TSLX9YP
24-Fiber, Single Mode Ultra-Fox™ Indoor/Outdoor Riser	DX024DSLX9YR

## FIBER OPTIC CONNECTIVITY

DESCRIPTION	OCC PART #
RTC Rack Mount Fiber Optic Enclosure, Holds 3 Adapter Panels	RTC1U-3APB
Wall Mount Fiber Cabinet, 4 Adapter Slots , 13"H x 12"W x 3.5"D	WTC12/24
Adapter Plate, 24-Port, Quad LC, Multimode, OM3	6124QLC50G
Adapter Plate, 12-Port, Dual LC, Multimode, OM3	6112DLC50G
Adapter Plate, 12-Port, Dual SC, Multimode, OM3	6112DSC50G
Fiber Splice Tray Kit	RS1U2T
Fiber Pigtail Assembly, 50µm OM3, LC, 12F, 1-Meter	P5GLC12-1M
Fiber Connector, Pre-Polished, LC, OM3/OM4, 900m, Boot	RFC-LC5G
Fiber Connector, Pre-Polished, LC, OM3/OM4, 2/3mm Boot	RFC-LC5G-2/3MM
Fiber Connector, Pre-Polished, SC, OM3/OM4, 900m Boot	RFC-SC5G
Fiber Connector, Pre-Polished, Xpress ST, OM3/OM4, 6-Pack	FXC-ST5G-6
1-Meter OM3 LC-LC Patch Cord	D5LC-LC-1MG
1-Meter OM3 SC-SC Patch Cord	D5SC-SC-1MG

## OUTSIDE PLANT ENCLOSURES

DESCRIPTION	OCC PART #
11"H x 9.5"W x 3.5"D, NEMA 3 Enclosure	OCO6N
10"H x 8"W x 4"D, NEMA 4X Enclosure	OCO12NX
Pole Mounting Hardware for the OCO12NX	OCC-PM12
OCO12NX Kit Includes 1-Din Rail BKT & 1-Small Compression Fitting	OCO12NX-DR2
OCO12NX Kit Includes 1-Din Rail BKT & 1-Large Compression Fitting	OCO12NX-DR3
OCO12NX Kit Includes 1-Din Rail BKT, 1-Small & 1-Large Compression Fitting	OCO12NX-DR6
3/4" Conduit Adapter for OCO6N	10801301
1" Conduit Adapter for OCO6N	10801202

## CLOSET RACKS AND CABINETS

DESCRIPTION	OCC PART #
Rack Max 45RU Cable Management Rack, 19" or 23" Mounting	CMR45
2-Post Rack, 84"H x 19"W x 3"D, 900 lbs. Capacity	OF4503
25RU, 19" Wall Mount Swing Rack, Black, 46.3"H x 20.6"W x 25"D	SR425
12RU, 19" Wall Mount Swing Rack, Black, 23.5"H x 20.6"W x 25"D	SR225
Wall Mount Cabinet, Black, 24"H x 21"W x 24"D	WC1238
Wall Mount Cabinet, Black, 45"H x 21"W x 24"D	WC2438
19" Freestanding Server Cabinet, Black, 72"H x 25"W x 36"D	CC3807
19" Freestanding Server Cabinet, Black, 84"H x 25"W x 36"D	CC4507





## LOCATIONS



**VISIT [OCCFIBER.COM](http://OCCFIBER.COM)**

### **OCC ROANOKE, VA**

**Corporate Headquarters and Fiber Optic Cable  
Manufacturing Facility**

5290 Concourse Drive  
Roanoke, VA 24019 USA

**540-265-0690 or 800-622-7711**

### **OCC DALLAS, TX**

**Harsh Environment and Specialty Connectivity  
Manufacturing Facility**

1700 Capital Avenue, Suite 150  
Plano, TX 75074 USA

**972-509-1500 or 877-509-1500**

### **OCC ASHEVILLE, NC**

**Enterprise Connectivity  
Manufacturing Facility**

33 Superior Way  
Swannanoa, NC 28778 USA

**828-298-2260 or 800-880-7674**

## JOIN OUR SOCIAL NETWORK

For the most up-to-date information on all of OCC's products, news, and information, visit our website at [occfiber.com](http://occfiber.com). Registered users get added benefits, access to additional information and white papers, and more.



Like us on Facebook:  
[facebook.com/occsolutions](https://facebook.com/occsolutions)



Follow us on Twitter:  
[twitter.com/occsolutions](https://twitter.com/occsolutions)



Watch us on YouTube:  
[youtube.com/user/occsolutions](https://youtube.com/user/occsolutions)



Follow us on LinkedIn:  
[linkedin.com/company/optical-cable-corporation](https://linkedin.com/company/optical-cable-corporation)