P-touch EDGE[®] labeling solutions Easy to use. Powerful features.

The fast, easy way to make labels that last.



Ideal for:



Data Communication



Security





Electrical

Audio Visual

The easy-to-use professional labeling solutions.

Designed by industry pros

When we designed the P-touch EDGE® family of labelers we let labeling pros guide us. They told us how people marking wires, cables, fiber, panels and more every day actually worked. How their crews operated. What features would make projects go faster and more efficiently.

And also how nobody wants to read a manual. Especially on a job site.

So we built in the features pros wanted. Then we made it very easy to get to – and use – those features by practically anyone, even someone added to your crew today, without ever reading a manual.

That's the whole point of the P-touch EDGE® line of labelers.

You shouldn't have to read a manual to make the labels you need. And with P-touch EDGE® labelers, you don't. Clearly labeled application keys, intuitive menus, and on-screen prompts on our handheld models allow practically anyone to make professional labels in seconds.

Free mobile apps for iOS® and Android[™] devices make printing labels from our PT-P750wvP as easy as touch, type,and print.

A simpler way to professionally mark your work

All P-touch EDGE® handheld labeling systems offer a variety of features to make onsite labeling easier, faster, and more efficient.

These include:

- **Label application keys** for preformatted templates of the labels you need most often. Pick an application, follow the onscreen prompts, enter your text, print and cut. There's no guesswork.
- Store common labels into memory for quick recall.
- **Auto tape sensing** so your EDGE® labeler always knows what size tape you have in.
- Auto type sizing to automatically adjust your type size to fit the tape size.
- Graphical LCD display to preview your label before you print.
- Vertical and rotated printing whenever you need these.
- **Repeat printing** for multiple copies.
- Automatic serialization to minimize keystrokes and repetitive tasks.
- Built-in datacom and industrial symbols to add to your labels.
- Built-in tape cutter for labels with crisp, clean cuts.
- **Easy-swap drop-in tape cassettes** so you easily change label colors, sizes and adhesive types in seconds.

P-touch EDGE[®] models

PT-E100 – Industrial Handheld Labeling Tool For every member of your crew



The PT-E100 helps simplify the process of marking wires, cables and faceplates, outlet covers and more with its builtin label application keys and intuitive navigation. These make it easy for practically anyone to produce durable, laminated professional multiline labels with text and symbols in seconds. And at its price you can afford to equip every member of your crews with a PT-E100 labeler.

PT-E300 – Advanced Industrial Handheld Labeling Tool Bigger labels and more features for bigger projects



The PT-E300 adds more label application keys, more professional labeling features, and a backlit graphical LCD display. Its large, comfortable QWERTY keyboard makes data entry as easy as sending a text message. It also includes over 300 built-in industrial symbols and nine barcode symbologies you can use on laminated labels and heat shrink tube up to 18mm wide.

PT-E500 – Professional Industrial Handheld Labeling Tool Larger labels, PC connectivity and auto cutter for higher productivity and efficiency



The PT-E500 steps up professional features by adding PC connectivity, an auto cutter, and the ability to produce durable laminated labels and heat shrink tube up to 24mm wide, making it ideal for more complex projects like data centers. With the PT-E500, you can produce labels and tube with more information plus symbols and barcodes using the built-in preformatted label templates, or from custom designed label templates, linked to common databases downloaded from a PC to help minimize keystrokes and human error.

PT-E550w – Wireless Industrial Handheld Labeling Solution Larger labels, with wireless connectivity and auto label strip cutter for versatility and work flow integration



As an alternative for preprinting sheets of self-laminating labels the PT-E550w prints individual and strips of laminated labels on the jobsite as needed. This can help eliminate the need to sort through sheets of labels and reprinting labels, and offers a labeling solution for making as-built project changes and handling other job-site issues. Now you can send a database or label design to a computer, smartphone or tablet on the jobsite and wirelessly print to, or transfer the project into, the PT-E550w and print when needed. **PT-P750wvp** – Industrial wireless label printer with Wi-Fi[®], AirPrint[™], NFC connectivity, and auto cutter



The PT-P750wvP portable industrial label printer features a wireless³ interface to print wider labels and heat shrink tube using a database on a computer, iOS®/Android™ smartphone** or tablet**. NFC interface helps simplify Wi-Fi® setup. Innovative auto cutter produces strip of easy to peel labels for cables/fiber/wire, patch panels and faceplates.

Tapes for practically every application

HGe and TZe tape cassettes are available in a wide range of colors, sizes and adhesive types to match your labeling application.

For **wrapping and flagging wires and cables** – there's Flexible ID Tape.

For **rough, textured and powder-coated surfaces** – there's Extra-Strength Adhesive Tape.

For **flat, smooth surfaces** – there's Standard Laminated Tape.

And now, for the PT-E300, E500, E550w and PT-P750wvp, there's Heat Shrink Tube.





All of these tapes are available on easy-swap, drop-in cassettes. So it only takes seconds to go from using Flexible ID Tape to wrap and flag cables and wires, to Extra-Strength Adhesive Tape to mark load centers and electrical panels, to Standard Adhesive Tape to mark outlet covers and faceplates.

Easy to use. Powerful features. P-touch EDGE® industrial labeling tools.

The P-touch EDGE® labelers are clearly designed to help make projects go faster and more efficiently – from start to finish. Drop in an HGe or TZe tape cassette for the tape color, size and adhesive type you need. Choose the application you want from application keys or from free mobile apps. Enter the text. Add industrial symbols from the hundreds built-in, or on your PC for PC-connectable and wireless models, and with the PT-E300, E500, E550w, and PT-P750wvP add industry-standard barcodes.

Then print and cut your label. Peel and apply. That's how it's done.

Specifications

Features	PT-E100	PT-E300	PT-E500	PT-E550w	PT-P750wvp				
Tape Line*	HGe, TZe	HGe, TZe, HSe							
Tape Width*	3.5mm, 6mm, 9mm, 12mm	3.5mm, 6mm, 9mm, 12mm, 18mm							
Heat Shrink Tube	-	Yes							
Max. Print Resolution		180 dpi							
Max. Print Height	9mm	15.8mm 18.1mm							
Print Speed	up to 0.8 ips (Add	apter or Battery) up to 1.2 ips (Adapter) and 0.8 ips (Battery)							
Print Preview	-		WYSIWYG						
Display	15 Character x 1 Line	15	-						
Tape Cutter	Man	ual							
Power Source: Batteries	6 "AAA"*	Rechargeable (BA-EOO1 Li-ion battery pack) (included), 6 "AA"*							
Rechargeable Battery	-	Li-ion (Included)							
Power Source: AC Adapter	AD-24 (optional)*	AD-E001 (included)							
Interface	-		USB	Wi-Fi [®] (802	11 b/g) and USB				
Number of Lines	2	5		7▲	Variable				
Keyboard	ABCD		QWERTY		-				
Rotate Printing		Ye	s		Graphics Only Printing				
Fonts	1	7	14		Software: Brother and Compatible TrueType® Fonts				
Download Feature	-			-					
Type Sizes	3	8	9		Software: Fully Scalable				
Type Widths	3	4	5		Software: Fully Scalable				
Type Styles	9		11		Software: Fully Scalable				
Auto Formats	Yes		Yes, plus dov	vnload templates	-				
(PC) Connectivity	-		Yes, download and printing	Yes, printing directly from Windows [®] , Mac [®] , iOS [®] or Android [™] computer or mobile devices ^{**}					
Operating Systems	-		Windows [®] 8/7/XP, Windows Vista [®] , Mac OS [®] 10.7.5 − 10.9x+						
Unit Weight	0.86 lbs.*	1.63 lbs.+	2.	1.6 lbs.*					

Available tapes*





TZe tapes feature the same laminated structure and durability of HGe tapes, but without the faster print speeds offered by HGe tapes. TZe tapes are compatible with the PT-E100, PT-E300, PT-E500, PT-P550w, PT-P7500, PT-7600, PT-18RKT, PT-9700PC, and PT-9800PCN, as well as all other P-touch® and P-touch EDGE® TZe compatible labelers.

0,

120

10mm

24mm

2 Emm

		.5mm).13in)	6mm (0.23in)	9mm (0.35in)	12mm (0.47in)	18mm (0.7in)	24mm (0.94in)					
Flexible ID Tapes- Individ		,	, ,	. ,		, ,	(ere mi)					
BLACK ON WHITE		ignoù ior w	napping arou	na ana aanos	TZeFX231	TZeFX241	TZeFX251					
BLACK ON YELLOW					TZeFX631		TZeFX651					
Extra-Strength Adhesive Tapes- Individual tapes designed for plastics and textured surfaces												
BLACK ON WHITE	c SL us		TZeS211	TZeS221	TZeS231	TZeS241	TZeS251					
BLACK ON CLEAR	.	_		TZeS121	TZeS131	TZeS141	TZeS151					
BLACK ON YELLOW		_		TZeS621	TZeS631	TZeS641	TZeS651					
WHITE ON CLEAR	c 91 .us	_			TZeS135							
BLACK ON MATTE SILVER	c 91 /us					TZeS941	TZeS951					
Standard Adhesive Tapes- Individual tapes designed for use on smooth and flat surfaces												
BLACK ON WHITE]		TZe211	TZe221	TZe231	TZe241	TZe251					
BLACK ON CLEAR	1		TZe111	TZe121	TZe131	TZe141	TZe151					
BLACK ON RED				TZe421		TZe441	TZe451					
BLACK ON YELLOW					TZe631	TZe641	TZe651					
BLACK ON GREEN	1					TZe741						
BLACK ON BLUE						TZe541						
BLACK ON FL. ORANGE						TZeB41□	TZB51 ^D					
WHITE ON BLACK			TZe315	TZe325	TZe335	TZe345	TZe355					
WHITE ON CLEAR					TZe135	TZe145						
RED ON WHITE					TZe232	TZe242	TZe252					
BLUE ON WHITE						TZe243						
GOLD ON BLACK					TZe334	TZe344	TZe354					
Tamper Evident Tapes · removed or disturbed	 Individual taj 	pes designe	ed to reveal a	security patte	ern when the l	abel is						
BLACK ON WHITE	c AV us					TZeSE4						
Super-Narrow Non-Lan spines and other narrow space		pe - Non-	laminated, pe	erfect for label	ing CD case							
BLACK ON WHITE	_	ZeN201										
Print Head Cleaning Ta	Des - Mainta	ains and res	stores print a	uality - Annrox	c 100 uses pe	r tane						
PRINT HEAD CLEANING TAPES	_					TZeCL4						
Stencil Tapes - Non-adhe		aned to ma	isk ink or spe	cial fluids for	direct part ma	rkina						
STENCIL TAPE						STe141	STe151					
Only for PT-E300, P HSe tube is a printal tools, and the PT-P7	ble heat shrink	tubing desi	igned for the r			PT-E550w hand	dheld labeling					
WARNING: This pro HEAT SHRINK TUBE WIDTH: RECOMMENDED FOR (OUTSIDE DIAM	5.8r	nm (0.23in)	8.8mm (0.34	4in) 11.7mm	(0.46in) 17.7	'mm (0.69in)	23.6mm (0.92in) 3-14.3mm (0.28-0.56in)					
HSe Heat Shrink Tube - Individ 1.5m (4.9ft) long. 2:1 shrink ratio / 3			d for the model	PT-E300, PT-E5	00, PT-E550w, an	d PT-P750wvp.						
BLACK ON WHITE	91	HSe211	HSe22	1 HS	231	HSe241	HSe251					

*Requires additional purchase. **Transfer function not supported for Mac[®] computers. iOS[®] and Android[™] apps are available from the Apple[®] App Store[™] and Google Play[™] store. *****When operating in stand-alone mode. Also connects to PC. *See system requirements on www.brother.com. *****For printing only. *****Without tape and battery. ³Internet connection is required for iOS[®] and Android[™] label printing apps to download latest library of label templates. All HGe and TZe laminated tapes are 8m (26.2ft) in length, except Black on Fl. Orange 5m (16.4ft), and are heat resistant, cold resistant, UV resistant, advasive resistant, chemical resistant and water resistant.

BROTHER MOBILE SOLUTIONS, INC. For more information, call 1-800-543-6144, or visit www.brothermobilesolutions.com www.edgelabeling.com

Brother" is a trademark or registered trademark of Brother Industries, Ltd. in the United States. All other trademarks and registered trademarks are the properties of their respective companies. © 2015 Brother Mobile Solutions, Inc., 100 Technology Drive, Suite 250A, Broomfield, CO 80021

