

Linssen Yachts Standard Equipment

Linssen Grand Sturdy 30.0 AC

05 July 2019
Version: 02-2019

Item	Description
BASIC DATA	
01010.05	Construction: HPH (Hardchine Prestressed Hull) Hull: 5/4 mm. Decks/superstructure: 4 mm. Weight/displacement: ±8.000 kg / ±8 m ³
01020.05	LOA x beam x draft: ± 9.70 x 3.35 x 1.00 m. Length over deck: ± 8.87 m. Length waterline: ± 7.83 m. Minimum air draft: ± 2.45 m. Headroom FC/saloon/AC: ± 1.83/1.94/1.87 m.
01030.02	CE-classification: C (coast) Number of max. recommended persons: 8
13010.19	Engine: 1x 4 cyl. Volvo Penta Diesel, type D2-50 ZF 25-H / 2,8 : 1 1x 37.5 kW (51 HP), 3000 rpm Alternator: 115A-12V
03040.01	Fuel tank capacity: ± 240 ltr. Water tank capacity: ± 220 ltr. Holding tank capacity: ± 240 ltr.
41001.01	Aft cabin with double berth at SB side, closet at stern, walk-in wardrobe on the port side with integrated storage space, prepared for possible subsequent installation of a toilet and washbasin and large wardrobe on Port side.
42001.01	Spacious saloon with L-settee (with Easy Sleep Convert System) at SB-side. Spacious galley at Port side
43001.01	Front cabin with double berth with slatted base, cupboards, toilet compartment and separate shower compartment.
1. HULL	
1.1 EXTERIOR	
11015.01	Hull constructed in accordance with the Linssen Yachts HPH® construction method
11020.01	Stainless steel foundation for windscreen
11025.01	Outside steering position with high-grade "Soft Coat" instrument panels
11030.01	Integrated moulded aft deck dodgers
11040.01	Integrated deck-boxes, aft bench including lockable teak tops with gas-pressure struts
1.2 STAINLESS STEEL	
12010.01	Polished stainless steel sea rail
12020.01	Side entrances with stainless steel entrance chains
12030.01	Opening in sea rail at the bow (lockable with stainless steel chain)
12035.01	Opening in sea rail at the stern (lockable with stainless steel chain)
12050.02	6 x Original Linssen-design stainless steel cleats
12055.01	2 x Original Linssen-design stainless steel cleats at the bathing platform
12100.01	Polished stainless steel original Linssen-design handrails Starboard and Port side along the windscreen foundation
12120.01	Comfortable solid teak step to bathing platform with elegant railing on Port and SB side
12125.01	Teak step in side decks
12130.01	Polished stainless steel foldable bathing ladder at bathing platform (incl. solid teak steps with anti-slip profiles)
12145.02	Robust, stainless steel coated bathing platform, with solid teak parts (including Heavy

Linssen Yachts Standard Equipment

Linssen Grand Sturdy 30.0 AC

05 July 2019
Version: 02-2019

Item	Description
	Duty Linssen PVC fendering from bathing platform to 1/3 of the hull length)
	1.3 TECHNICAL
13030.01	Linssen DUAL CROSS engine foundation
13040.01	Linssen "FIS" system (patent Floor Integrated System®) for integral protected loop-up of cables and ductings in the engine compartment
13050.02	Provisions for bowthruster
13060.02	Provisions for sternthruster, incl. main power cables
13080.03	Provisions for deck-wash pump
13110.01	Outside shower at bathing platform, with warm and cold water tap
13150.02	Integrated bow fitting with fixed anchor roller and stainless steel anchor holder
13240.01	Selfdraining seawaterproof anchor chain container
13280.01	Waterproof speakers for radio at outside steering position
	2. COATING
	2.1 COATING & DECK FINISH
21010.01	Linssen 2 component Exterior Coating system
21020.01	Saloon and cabin deck in anti-slip coating
21030.01	Fore-deck and side decks in anti-slip coating
21040.01	Aft deck in anti-slip coating
21060.01	Non-toxic antifouling suitable for fresh and salt water (Black colour)
21070.01	Additional 2-component easy-to-clean protective coating in engine compartment
21090.19	Original Linssen colour scheme: Superstructure and hull: Sand Beige (D803) Waterline: Dark Green (H4024) Antifouling: Black Rope fender: Beige Canvas and covers: Sunbrella Dune Glass windows saloon, windscreen, ventilation-/escape hatch: "summer green" tinted
	3. ENGINE COMPARTMENT
	3.1 TECHNICAL
31010.01	Linssen Yachts "hydrolubricated" propeller shaft installation
31020.01	Engine/shaft connection through homokinetic coupling and thrust bearing
31025.01	Special low noise propeller
31030.03	12V. Bowthruster 55 kgf (3 kW / 4 HP)
31070.01	Mechanical Morse engine control equipped with anti-vibration kit for noise and vibration damping.
31090.01	Hydraulic steering
31096.02	Stainless steel steering wheel with teak rim at outside steering position
31120.01	Emergency steering installation
31150.02	Fuel tank of advanced design with inspection/cleaning hatch (± 240 litres)
31160.03	Magnetic level gauge in fuel tank for direct volume indication
31170.01	Separate second (1 x on engine) fuel filter with water separator
31210.01	Fuel supply cut-off to engine from saloon settee
31240.01	Air-heating 4kW with outlets in saloon, FC (lockable) and AC (lockable). Control panel in saloon.
31700.03	Automatic fire extinguishing in engine compartment
31750.01	Linssen super sound insulation package consisting of a sound absorbent insulation and a

Linssen Yachts Standard Equipment

Linssen Grand Sturdy 30.0 AC

05 July 2019
Version: 02-2019

Item	Description
	non vibration package.
	3.2 ON-BOARD WATER SYSTEMS
32010.01	Automatic pressurized water system including solid PVC water tank with inspection/cleaning hatch and level indicator (± 220 litres)
32020.01	Automatic pump with electronic pressure regulation for water system
32050.01	Hot water system (24 litre calorifier)
32060.01	230 V / 500W immersion heater in calorifier
32080.03	Holding tank toilet including Dockside-Discharge connection and level indicator (± 240 litres)
32095.01	All grey water outlets (sinks and shower-drainage) discharge directly overboard
32105.02	Drain pump shower front cabin finished with time relay
32110.02	Holding tank waste pump-out unit for Direct Discharge
32180.01	Electric bilge pump installation in engine compartment, with float switch for alarm. Manually operated
32200.01	Additional loose electric bilge pump provided, with discharge tube and supply cable
	3.3 ELECTRICAL & ELECTRONICS
33020.01	Electric domestic 12 V. with automatic main fuse and separate fuses for all users
33022.01	Linssen Yachts ICCISS main switchboards, 1x in saloon and 1x at steering position, for control of key functions and reading of fluid levels
33030.01	230V. /16Amp shore power connection with fuses and shore power cable (25 metres)
33082.01	Domestic: 12V. with 1 maintenance free "Super Cycle" AGM-batterie 170 Ah.
33180.01	Starting circuit 12V. with 1 x maintenance free "Super Cycle" AGM-battery 170 Ah.
33230.06	Automatic VICTRON BlueSmart 12/30-3 (3x 30 A.) battery charger, with BlueTooth function that allows readout via app.
	3.4 INSTRUMENTS & NAVIGATION
34010.01	Engine instrument panel with rev.counter and volt-, temperature and oil pressure alarm (acoustic en optical)
34030.02	Compressor horn with control at steering position
34050.02	LED navigation lights: Starboard and Port side on superstructure, stern light, top light in mast and anchor light
34070.01	Spare wiring for compass/windset
	3.4.1 BASIC NAVIGATION PACKAGE
34080.14	Raymarine i70S multifunction instrument with read out from echosounder, log and outside water temperature at steering position
	3.5 EXTERIOR EQUIPMENT HULL
35010.01	Magnesium anodes (for fresh water)
35030.01	Original Linssen synthetic-fibre rope fender, with stainless steel stretcher (Beige colour)
35081.22	Manual anchor winch with integrated Heavy Duty stainless steel anchor rollers and Linssen patented anchor rail. Including 30m 8mm. anchor chain and 15 kg. Bruce anchor
	3.7 EXTERIOR EQUIPMENT SUPERSTRUCTURE
37010.02	Robust windscreen wiper installation, position: middle and starboard
37070.01	Original Linssen Design mast powder coated in colour superstructure
37075.02	Stainless steel mast stays with quick release system
37110.01	Folding teak directors/helm chair Black upholstery and untreated teak wood
37245.01	Teak deck box joint table model

Linssen Yachts Standard Equipment

Linssen Grand Sturdy 30.0 AC

05 July 2019
Version: 02-2019

Item	Description
37261.01	Teak sliding hatch
37271.11	Entrance door coated in superstructure colour
3.8 WINDOWS	
38010.01	All windows to saloon in anodised aluminium profiles, incl. toughened "Summer Green" tinted glass
38060.02	Hinged window in Port forward saloon, with "Summer Green" tinted glass
38300.02	4 x opening port-holes in the forward cabin, with plain acrylate
38320.02	4 x opening port-holes in the aft cabin, with plain acrylate
38400.01	Aluminium ventilation/escape hatch, with "Summer Green" tinted acrylate in the forward cabin, incl. curtain
38430.01	5-part aluminium windscreen with anodised profiles, with "Summer Green" tinted/toughened glass fitted on coated stainless steel foundation
4. INTERIOR	
GENERAL	
40010.01	Linssen panels FPS® (Floating Panel System, Patented)
40020.03	Interior constructed of high-end okoumé panelling with cherry finish
40030.01	Deck-head lining in decor finish
40040.01	Original Linssen maintenance friendly ship's floor, wengé color
40050.02	High gloss stainless steel fittings in all compartments
40060.02	High gloss stainless steel door and locker furniture, with push-button catches
4.1 AFT CABIN	
41021.01	Double berth including spacious cupboard underneath bed
41101.01	Spacious walk-in wardrobe in the aft cabin on the port side with integrated storage space, prepared for possible subsequent installation of a toilet and washbasin with sanitary accessories.
41111.01	Spacious cupboard in the aft cabin port
41121.01	Spacious hanging wardrobe in the aft cabin
41131.01	Spacious built-in cupboard in the aft cabin
41414.01	Wall panels in aft cabin in cream white HPL.
4.2 SALOON/ GALLEY	
42021.01	Comfortable saloon settee with "Easy Sleep Convert System", double-bed function with integrated storage space
42031.02	Elegant saloon table
42081.01	L-Shaped galley with cupboards and drawers
42092.01	Galley worktop finished with "Clamshell" original Corian®
43141.01	Wardrobe in saloon on SB side in the front
42414.01	Wall panels in saloon SB, Port and front in cream white HPL.
4.3 FRONT CABIN/ SHOWER & HEADS COMPARTMENTS	
43021.01	Double berth with slatted base and large drawer
43031.01	Spacious linen-cupboard on Port side
43041.01	Spacious linen cupboard on Starboard side
43062.02	Toilet/shower walls FC in high quality Formica wall finishing
43071.02	Washbasin in front toilet-compartment, built into vanity unit. Worktop and wash basin in toilet compartment finished in original Corian® "Clamshell"
43082.02	Shower in the FC finished in high quality Formica wall finishing and teak seat
43412.01	Soft paneling FC, longitudinal SB/Port (3 panels)
5. FINISH	

Linssen Yachts Standard Equipment

Linssen Grand Sturdy 30.0 AC

05 July 2019
Version: 02-2019

Item	Description
5.1 LIGHTING & SOCKETS	
51010.05	LED dimmed interior light fittings in all compartments, with light switches
51400.01	1x USB socket in the saloon for charging mobil equipment. No data transfer.
51500.00	1 x 12 V. socket in saloon starbord front
51603.01	3 x 230 V. Sockets in the FC (1x), saloon (1x) and galley (1x)
5.2 GALLEY	
52015.01	Bar cupboard in saloon, incl. set of Linssen Yachts glasses (comprising: 6 shot glasses, 6 highball glasses, 6 whisky glasses and 6 wine glasses)
52020.02	Integrated waste bucket in cupboard incl. partition with shelves
52023.01	Anti-slip mats in galley
52030.01	Cutlery tray
52040.01	80 l. refrigerator with freezer compartment
52105.02	Gas installation with Campingaz gas bottle (3kg), in container at bathing platform
52110.02	3-burner stainless steel gas hob
52120.02	Glass coverplate for 3-burner gas hob
52180.01	Stainless steel sink
53020.03	Mixer tap in galley type Grohe Essence
5.3 SANITARY FITTINGS	
53010.01	Selected bathroom fittings (mirror, toilet paper holder, etc.), in the forward cabin
53030.03	Wash-basin mixer tap in toilet compartment FC type Grohe Essence
53050.04	Shower mixer tap in forward shower type Grohe 1000C (Thermostatically adjustable) incl. shower rail
53130.01	Manual sea toilet in forward cabin
5.4 AUDIO/ VIDEO / INTERNET	
54010.02	Stereo radio/MP3-player Fusion RA70N with bluetooth including 2 speakers in the saloon and FM radio antenna in mast. Audio streaming possible Operation possible via the App FUSION link DAB+ ready AM/FM including RDS Amplifier Class-AB 4x 50W
5.6 INTERIOR UPHOLSTERY	
56031.02	L-shaped saloon settee, finished in genuine leather
56101.11	Matrass 1x 2 pers. in front cabin type coldfoam 14 cm. with layer in foam in two hardness grades.
56131.11	Matrass 1x 2 pers. in aft cabin type coldfoam 14 cm. with layer in foam in two hardness grades
56300.01	Curtains for windows and hatches, cream colour
5.8 EQUIPMENT	
58010.01	Spares kit including tool-kit, impeller, fuses, bulbs, paint-tips and various maintenance parts
58020.01	Complete inventory including 4 fenders, 4 mooring ropes (16 meters), boathook, life buoy, bucket, scrubbing brush, national flag, yard ribbon, safety rope for anchor chain and anchor ball
58030.01	First-aid box in saloon according to DIN13157
58040.01	ABC fire class compliant fire extinguisher (1 x 2 kg) in saloon
58045.01	Optical smoke detector with fixed built-in lithium battery (life span 10 years) in all

Linssen Yachts Standard Equipment

Linssen Grand Sturdy 30.0 AC

05 July 2019
Version: 02-2019

Item	Description
	sleeping compartments.
	5.9 CANVAS & COVERS
59010.01	Cabrio including zip-fastened back, beige.
59130.01	Cover for steering console beige.