

Linssen Yachts Standard Equipment

Linssen Grand Sturdy 40.0 Sedan

18 June 2019
Version: 02-2019

| Item | Description |
|----------------------------|--|
| BASIC DATA | |
| 01010.05 | Construction: HPH (Hardchine Prestressed Hull) Bottom/hull: 6/5 mm. Decks/superstructure: 4 mm. Weight/displacement: 15.500 kg / 15,5 m ³ |
| 01020.05 | LOA x beam x draft: ± 12.85 x 4.30 x 1.20 m. (single engine version) : ± 12.85 x 4.30 x 1.22 m. (twin engine version) Length over deck: ± 12.05 m. Length waterline: ± 10.80 m. Minimum air draft: ± 2.65 m. (2.72 m. with Linssen Variodeck®) Headroom FC/saloon: ± 1.97/2.01 m. |
| 01030.03 | CE-classification: B (sea) Number of max. recommended persons: 10 |
| 13010.06 | Engine: 1x 5 cyl. Volvo Penta Diesel, type D3-110 ZF 45-H / 3,031 : 1 1x 82 kW (110 HP), 3000 rpm Alternator: 180A-12V |
| 03040.01 | Fuel tank capacity: ± 820 ltr. (single engine version) ± 2x 450 ltr. (twin engine version) Water tank capacity: ± 440 ltr. Holding tank capacity: ± 240 ltr. |
| 42001.01 | Spacious saloon with L-settee, low saloon table and inside steering position at Port-side. U-shaped galley, folding dinette/desk and 2 design stools at SB-side. |
| 43001.01 | Forward cabin with double berth and cupboards, toilet compartment and separate shower compartment. Guest cabin with 2 single beds with drawer and linen cupboard |
| 1. HULL | |
| 1.1 EXTERIOR | |
| 11015.01 | Hull constructed in accordance with the Linssen Yachts HPH® construction method |
| 11065.02 | Longtop, saloondeck width (small), insulated and finished with ceiling and integrated LED dimmer lights. |
| 11068.01 | Selfdraining cockpit with functional drain system |
| 11070.01 | Integrated cockpit settee U-shaped with teak top |
| 11080.01 | Integrated central stern door to bathing platform |
| 1.2 STAINLESS STEEL | |
| 12010.01 | Polished stainless steel sea rail |
| 12020.01 | Side entrances with stainless steel entrance chains |
| 12030.01 | Opening in sea rail at the bow (lockable with stainless steel chain) |
| 12050.02 | 6 x Original Linssen-design stainless steel cleats |
| 12055.01 | 2 x Original Linssen-design stainless steel cleats at the bathing platform |
| 12080.01 | Stainless steel handrails on saloon deck |
| 12120.01 | 2 small settees with storage space and solid teak top on bathing platform |
| 12125.01 | Teak step in side decks |
| 12130.01 | Polished stainless steel foldable bathing ladder at bathing platform (incl. solid teak steps with anti-slip profiles) |
| 12145.02 | Robust, stainless steel coated bathing platform, with solid teak parts (including Heavy Duty Linssen PVC fendering from bathing platform to 1/3 of the hull length) |
| 1.3 TECHNICAL | |

Linssen Yachts Standard Equipment

Linssen Grand Sturdy 40.0 Sedan

18 June 2019
Version: 02-2019

| Item | Description |
|----------|--|
| 13030.01 | Linssen DUAL CROSS engine foundation |
| 13040.01 | Linssen "FIS" system (patent Floor Integrated System®) for integral protected loop-up of cables and ductings in the engine compartment |
| 13061.03 | Provisions for sternthruster incl. main power cables |
| 13080.03 | Provisions for deck-wash pump |
| 13110.01 | Outside shower at bathing platform, with warm and cold water tap |
| 13150.02 | Integrated bow fitting with fixed anchor roller and stainless steel anchor holder |
| 13240.01 | Selfdraining seawaterproof anchor chain container |
| 13270.02 | Provisions for installation of a Linssen tender lift at bathing platform |
| 13280.01 | Waterproof speakers for radio in open cockpit |
| | 2. COATING |
| | 2.1 COATING & DECK FINISH |
| 21010.01 | Linssen 2 component Exterior Coating system |
| 21020.01 | Saloon and cabin deck in anti-slip coating |
| 21030.01 | Fore-deck and side decks in anti-slip coating |
| 21060.01 | Non-toxic antifouling suitable for fresh and salt water (Black colour) |
| 21070.01 | Additional 2-component easy-to-clean protective coating in engine compartment |
| 21090.19 | Original Linssen colour scheme: Superstructure and hull: Sand Beige D803) Waterline: Dark Green (H4024) Antifouling: Black Rope fender: Beige Canvas and covers: Sunbrella Dune Glass windows saloon, ventilation-/escape hatch: "summer green" tinted |
| | 2.2 TEAK DECKS |
| 22030.01 | Teak floor in the cockpit |
| | 3. ENGINE COMPARTMENT |
| | 3.1 TECHNICAL |
| 31010.03 | Linssen Yachts "hydrolubricated" propeller shaft installation |
| 31020.01 | Engine/shaft connection through homokinetic coupling and thrust bearing |
| 31025.01 | Special low noise propeller |
| 31032.06 | Electric bowthruster Side Power 24V/120 kgf (6,4 kW / 8,55 HP) incl. 2x 90 Ah maintenance-free batteries |
| 31070.03 | Electronic engine control at steering position |
| 31090.01 | Hydraulic steering |
| 31093.02 | Stainless steel steering wheel with teak rim, at inside steering position |
| 31120.01 | Emergency steering installation |
| 31150.05 | Central positioned fuel tank with inspection/cleaning hatch, incl. level indicator (± 820 litres) |
| 31160.03 | Magnetic level gauge in fuel tank for direct volume indication |
| 31170.03 | Separate second (1x on engine) fuel filter, with water separator |
| 31210.01 | Fuel supply cut-off to engine from saloon settee |
| 31240.06 | Linssen Compartment Controlled Heating with separate day/night function: 1x 5.5 kW warm air heating. 1x for saloon/galley/day toilet with control in saloon and 1x 2 kW for FC/guest cabin with control in the FC. Lockable outlets in guest cabin/toilet compartment |
| 31310.01 | Engine room lighting with switch and indicator in switch panel |
| 31330.01 | Engine compartment hatch, with a ladder and checker plate next to the engine |

Linssen Yachts Standard Equipment

Linssen Grand Sturdy 40.0 Sedan

18 June 2019
Version: 02-2019

| Item | Description |
|---|---|
| 31700.03 | Automatic fire extinguishing in engine compartment |
| 31740.01 | Access to storage space underneath the cockpit floor (with ladder) |
| 31750.01 | Linssen super sound insulation package consisting of a sound absorbent insulation and a non vibration package. |
| 3.2 ON-BOARD WATER SYSTEMS | |
| 32010.02 | Automatic pressurized water system (incl. solid PVC water tank with inspection/cleaning hatch (\pm 440 litres), incl. analogue level indicator in switch panel) |
| 32020.01 | Automatic pump including expansion reservoir for water system |
| 32050.04 | Hot water system (60 litre calorifier) |
| 32060.01 | 230 V./800W immersion heater in calorifier |
| 32080.03 | Holding tank toilet including Dockside-Discharge connection and level indicator (\pm 240 litres) |
| 32095.01 | All grey water outlets (sinks and shower-drainage) discharge directly overboard Drain pump(s) shower(s) finished with time relay |
| 32110.02 | Holding tank waste pump-out unit for Direct Discharge |
| 32180.02 | Electric bilge pump installation in engine compartment, with float switch for alarm. Manually switched |
| 32200.01 | Additional loose electric bilge pump provided, with discharge tube and supply cable |
| 3.3 ELECTRICAL & ELECTRONICS | |
| 33020.01 | Main fuse incorporating automatic cut-out. Main switch panel in hall to FC |
| 33030.01 | 230V. /16Amp shore power connection with fuses and shore power cable (25 metres) |
| 33070.03 | Domestic: 12V. with 3 maintenance free 85 Ah gel-batteries |
| 33148.01 | Domestic circuit 12V. Voltmeter |
| 33170.01 | Starting circuit 12V. with 1 x maintenance free 90 Ah battery |
| 33230.03 | Additional battery charger for bow and sternthruster group |
| 33270.01 | Original Linssen Power Pack: automatic battery charger/inverter type Mastervolt Mass Combi 12/2200-100 (100 A / 2200 W.) with remote panel, battery watch domestic system and 2x 85 Ah. additional maintenance free domestic gel-batteries. |
| 3.4 INSTRUMENTS & NAVIGATION | |
| 34010.01 | Engine instrument panel with rev.counter. Integrated indication temperature, turbo pressure, rev. counter digital, voltage engine. Cooling water temperature and oil pressure alarm. Voltage monitoring alarm |
| 34030.02 | Compressor horn with control at steering position |
| 34050.02 | Government approved LED navigation lights: Starboard and Port side on superstructure, stern light, top light in mast and anchor light |
| 34070.01 | Spare wiring for compass/windset |
| 3.4.1 NAVIGATION INSTRUMENTS | |
| 34080.14 | Raymarine i70S multifunction instrument with read out from echosounder, log and outside water temperature at steering position |
| 3.5 EXTERIOR EQUIPMENT HULL | |
| 35010.00 | Magnesium or zinc anodes (depending on cruising area) |
| 35030.01 | Original Linssen synthetic-fibre rope fender, with stainless steel stretcher (Beige colour) |
| 35040.01 | Ships name on bow and stern. Port of Registry and Registration number on stern in colour of the waterline Bow letter type; Snell Roundhand. Stern letter type; VAG |
| 35081.23 | Manual anchor winch with integrated Heavy Duty stainless steel anchor roller and Linssen |

Linssen Yachts Standard Equipment

Linssen Grand Sturdy 40.0 Sedan

18 June 2019
Version: 02-2019

| Item | Description |
|----------|---|
| | patented anchor rail. Including 30m 8mm. anchorchain and 20 kg. Bruce anchor |
| | 3.7 EXTERIOR EQUIPMENT SUPERSTRUCTURE |
| 37030.02 | Robust windscreen wiper installation saloon, position middle and Port |
| 37060.02 | Window spray-installation saloon for twee wipers including wish-wash function |
| 37070.04 | Original Linssen Design mast, with double yard, powder coated in superstructure colour |
| 37075.02 | Stainless steel mast stays with quick release system |
| 37180.01 | Stainless steel Linssen Grand Sturdy logo |
| 37210.01 | Cockpit hatch equipped with stainless steel lock and gas strut |
| 37271.11 | Entrance doors, varnished in superstructure colour |
| | 3.8 WINDOWS |
| 38010.01 | All windows to saloon in anodised aluminium profiles, incl. toughened "Summer Green" tinted glass |
| 38040.02 | Hinged Starboard window in forward saloon, with "summer green" tinted glass |
| 38070.02 | Sliding window in saloon at Port side, with "Summer Green" tinted glass |
| 38300.02 | 4 x opening port-holes in the forward cabin, with plain acrylate |
| 38400.01 | Aluminium ventilation/escape hatch, with "Summer Green" tinted acrylate in the forward cabin |
| 38410.01 | Aluminium ventilation/escape hatch, with "Summer Green" tinted glass in guest cabin and toilet compartment |
| | 4. INTERIOR |
| | GENERAL |
| 40010.01 | Linssen panels FPS® (Floating Panel System, Patented) |
| 40020.01 | Interior constructed of high-end okoumé panelling with cherry veneer |
| 40030.02 | Deck-head lining in elegant vinyl finish panels |
| 40040.02 | Original Linssen ships floor. Hatches in aisle to FC finished with hinges |
| 40050.02 | High gloss stainless steel fittings in all compartments |
| 40060.02 | High gloss stainless steel door and locker furniture, with push-button catches |
| | 4.2 SALOON & GALLEY |
| 42021.00 | Comfortable saloon settee with "Easy Sleep Convert System", double-bed function with integrated storage space |
| 42035.03 | Elegant saloon table, low model |
| 42061.01 | Steering position including comfortable helmseat, longitudinally adjustable |
| 42081.01 | U-Shaped galley with cupboards and drawers |
| 42092.01 | U-shaped galley worktop finished with original Corian® "Clamshell" |
| 42099.99 | Additional work surface in the galley through cherry wood folding part next to hob |
| 42141.01 | Functional storage space in forward section with automatic light switch |
| | 4.3.1 FRONT CABIN AND GUEST CABIN |
| 43021.01 | Double berth with slatted base and large drawer |
| 43031.01 | Combined hanging-locker/linen-cupboard on Port side |
| 43041.02 | Spacious linen cupboard on Starboard side |
| 43101.01 | Two single berths in the guest cabin, incl. drawer under Stbd berth |
| 43121.01 | Spacious linen cupboard in guest cabin |
| 43111.01 | Cupboard between the berths in guest cabin |
| 43412.02 | Soft paneling FC, longitudinal SB/Port (4 panels) |
| | 4.3.2 SHOWER AND HEADS COMPARTMENTS |
| 43062.01 | Toilet/shower walls FC in HPL finish |
| 43071.02 | Washbasin in front toilet-compartment, built into vanity unit. Worktop and wash basin in |

Linssen Yachts Standard Equipment

Linssen Grand Sturdy 40.0 Sedan

18 June 2019
Version: 02-2019

| Item | Description |
|----------|--|
| | toilet compartment finished in original Corian® "Clamshell" |
| 43082.01 | Shower in the FC finished in HPL finish |
| 43082.91 | Shower trays in corian type Clamshell designed with grooves for water drainage, without skirting boards |
| 43081.11 | Storage space in the shower FC, suitable for subsequently fitting of washer/dryer |
| | 5. FINISH |
| | 5.1 LIGHTING & SOCKETS |
| 51010.05 | LED dimmed interior light fittings in all compartments, with light switches |
| 51080.11 | Luxurious LED reading lights (2x) in the front cabin |
| 51110.05 | Indirect lighting in step to galley |
| 51400.01 | 1x USB socket in the saloon for charging mobil equipment. No data transfer. |
| 51500.00 | 1 x 12 V. socket at steering position |
| 51605.01 | 5 x 230 V. Sockets in the FC (1x), toilet FC (1x), saloon folding table (1x) and galley (1x double) |
| | 5.2 GALLEY |
| 52015.01 | Bar cupboard in saloon, incl. set of Linssen Yachts glasses (comprising: 6 shot glasses, 6 highball glasses, 6 whisky glasses and 6 wine glasses) |
| 52020.01 | Integrated waste bucket in cupboard |
| 52025.01 | Plate holders and anti-skid mats in galley drawers |
| 52030.01 | Cutlery tray |
| 52040.02 | 110 l. refrigerator with freezer compartment in the galley |
| 52105.02 | Gas installation with Campingaz gas bottle (3kg), in container at bathing platform |
| 52110.02 | 3-burner stainless steel gas hob |
| 52120.02 | Glass coverplate for 3-burner gas hob |
| 52180.01 | Stainless steel sink |
| | 5.3 SANITARY FITTINGS |
| 53010.01 | Selected bathroom fittings (mirror, toilet paper holder, etc.), in the forward cabin |
| 53020.03 | Mixer tap in galley type Grohe Essence |
| 53030.03 | Wash-basin mixer tap in toilet compartment FC type Grohe Essence |
| 53050.04 | Shower mixer tap in forward shower type Grohe 1000C (Thermostatically adjustable) incl. shower rail |
| 53130.02 | Electric toilet in forward cabin, with fresh water rinsing |
| | 5.4 AUDIO / VIDEO |
| 54010.02 | Stereo radio/MP3-player Fusion RA70N with bluetooth including 2 speakers in the saloon and FM radio antenna in mast. Audio streaming possible Operation possible via the App FUSION link DAB+ ready AM/FM including RDS Amplifier Class-AB 4x 50W |
| | 5.6 INTERIOR UPHOLSTERY |
| 56031.02 | L-shaped saloon settee, finished in genuine leather, cream colour |
| 56045.02 | Comfortable steering bench at inside steering position, finished in genuine leather, cream colour |
| 56073.22 | 2 design stools finished in genuine leather, cream color |
| 56101.11 | Mattress 1x 2 pers. in front cabin type coldfoam 14 cm. with layer in foam in two hardness grades. |

Linssen Yachts Standard Equipment

Linssen Grand Sturdy 40.0 Sedan

18 June 2019
Version: 02-2019

| Item | Description |
|--------------------------------|---|
| 56161.01 | Matrass 2x single person in guest cabin type coldfoam 10 cm. with layer in foam in two hardness grades. |
| 56300.01 | Curtains for windows and hatches, cream colour |
| 5.7 EXTERIOR UPHOLSTERY | |
| 57030.03 | Cushions for cockpit bench in imitation leather colour Sandsurf MT 0027CP |
| 5.8 EQUIPMENT | |
| 58010.01 | Spares kit including tool-kit, impeller, fuses, paint-tips and various maintenance parts |
| 58020.01 | Complete inventory including 6 fenders, 4 mooring ropes (16 meters), boathook, life buoy, bucket, scrubbing brush, national flag, yard ribbon, safety rope for anchor chain and anchor ball |
| 58030.01 | First-aid box in saloon according to DIN13157 |
| 58040.01 | ABC fire class compliant fire extinguishers (2 x 2 kg): 1x in Starboard saloon settee, 1x in "cellar" |
| 58045.01 | Optical smoke detector with fixed built-in lithium battery (life span 10 years) in all sleeping compartments. |
| 5.9 CANVAS & COVERS | |
| 59020.11 | Cockpit canvas Longtop, Sunbrella Dune the side and back panels can be opened seperately by a zip-fastener |