

Linssen Yachts Standard Equipment

Linssen Grand Sturdy 480 AC Variotop®

30 July 2019
Version: 02-2019

Item	Description
BASIC DATA	
01010.05	Construction: SPH®(patent pending) (Softchine Prestressed Hull) Bottom/hull/decks/superstructure: 6/5/4/5-4 mm. Weight/displacement: ±25.000 kg / ±25 m ³
01020.05	LOA x beam x draft: ± 14.95 x 4.65 x 1.20 m. Length hull: ± 14 m. Length over deck: ± 13.90 m. Length waterline: ± 12.95 m. Minimum air draft: ± 3.44 m. Air draft with lowered mast to top parking frame Variotop®: ± 4.15 m Headroom FC/saloon/AC/Wheelhouse: ± 2.00/1.98/1.98/2.00 m.
01030.03	CE-classification: B (sea) Number of max. recommended persons: 12
13020.06	2x 5 cyl. Volvo Penta Diesel, type D3-110 / ZF 45-H / 3,031 : 1 / 2x 82 kW (110 HP), 3000 rpm Alternator: 2x 180A-12V
03040.01	Fuel tank capacity: ± 2x 750 ltr. Water tank capacity: ± 720 ltr. Holding tank capacity: ± 400 ltr.
41001.01	Aft cabin with a free-standing double berth, toilet compartment with washbasin at SB-Side, shower compartment connected to toilet compartment, incl. wardrobes at Port and SB-side. Incl. desk with stool
42001.01	Saloon with spacious U-shaped galley at SB-side, cupboards. L-settee at SB-side, at Port side a separate L-shaped dinete
42141.01	Functional storage space in forward section, equipped with 6 storage boxes and lighting
43001.01	Forward cabin with double berth and cupboards, separate toilet and shower compartment. Guest cabin with 2 single beds, one bed can be slided, so it can be used as a double bed with drawer and linen cupboard
44001.01	Wheelhouse with luxury steering position and helmseat at SB-side, settee at Port side
1. HULL	
1.1 EXTERIOR	
11015.01	Hull constructed in accordance with the Linssen Yachts SPH® (patent pending) construction method
11030.02	Integrated aft deck dodgers
11040.02	Integrated deck-boxes, U-shaped aft bench with lockable teak top and gas-pressure struts
11050.01	"Linssen Variotop®": hydraulically-operated, double-lined and insulated convertible roof. Watertight wheelhouse enclosure through a unique, patented, closing system
11055.01	Hydraulically-controlled collapsible parking frame for the Variotop®. The hydraulically controlled parking frame can be lowered to reduce the maximum air draft to approx. 349 cm.
11080.01	Integrated stern door to bathing platform
1.2 STAINLESS STEEL	
12010.01	Polished stainless steel sea rail
12020.02	Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard)
12030.02	Opening pulpit lockable incl. stainless steel bar
12050.02	6 x Original Linssen-design stainless steel cleats
12055.01	2 x Original Linssen-design stainless steel cleats at the bathing platform

Linssen Yachts Standard Equipment

Linssen Grand Sturdy 480 AC Variotop®

30 July 2019
Version: 02-2019

Item	Description
12075.01	Stainless steel steps to saloon deck midships, demountable, finished with anti-slip steps incl. 2 hand grips on saloon deck
12080.01	Stainless steel handrails on saloon deck
12112.01	Polished stainless steel handrails at aft side wheelhouse
12120.01	Centerline traffic stairs on heart ship with teak deck parts, with comfortable wide steps and ergonomic handrail for safe traffic from deck to bathing platform.
12125.01	Teak step in side decks
12130.01	Polished stainless steel foldable bathing ladder at bathing platform (incl. solid teak steps with anti-slip profiles)
12145.02	Robust, stainless steel coated bathing platform, with solid teak parts (including Heavy Duty Linssen PVC fendering from bathing platform to 1/3 of the hull length)
	1.3 TECHNICAL
13029.02	Air suction vents engine compartment with anodised aluminium grill at Port and Starboard side
13040.01	Linssen "FIS" system (patent Floor Integrated System®) for integral protected loop-up of cables and ductings in the engine compartment
13070.03	Provisions for simple installation of Magnus Master stabilization system to prevent rolling of the ship. 2 mounting flanges welded in the hull.
13110.01	Outside shower at bathing platform, with warm and cold water tap
13135.01	Preparation for extractor hood in galley by roof fan on saloon deck for discharge outside.
13150.02	Integrated bow fitting with fixed anchor roller and stainless steel anchor holder
	2. COATING
	2.1 COATING & DECK FINISH
21010.01	Linssen 2 component Exterior Coating system
21020.01	Saloon and cabin deck in anti-slip coating
21030.01	Fore-deck and side decks in anti-slip coating
21060.01	Non-toxic antifouling suitable for fresh and salt water (Black colour)
21070.01	Additional 2-component easy-to-clean protective coating in engine compartment
21090.19	Original Linssen Sand Beige colour scheme: Superstructure and hull: Sand Beige (D803) Waterline: Dark Green(H4024) Antifouling: Black Rope fender: Beige Cabriolet canvas: Sonnenland Java Glass windows saloon, wheelhouse, ventilation-/escape hatches: "summer green" tinted
	2.2 TEAK DECKS
22020.01	Original LINSSEN teak deck on aft deck, steps on stern and ventilation/escape hatch.
	3. ENGINE COMPARTMENT
	3.1 TECHNICAL
31011.03	Linssen Yachts "hydrolubricated" propeller shaft installation
31021.01	Engine/shaft connection through homokinetic coupling and thrust bearing
31025.02	Low noise propellers
31034.02	Bow thruster 400V/7,5 kW. Powered by the generator, long switching time possible, incl. soft start
31054.02	Stern thruster thruster 400V / 7.5kW. Powered by the generator, long switching time possible, incl. soft start

Linssen Yachts Standard Equipment

Linssen Grand Sturdy 480 AC Variotop®

30 July 2019
Version: 02-2019

Item	Description
31080.03	Twin electronic engine controls at steering position
31090.03	Hydraulic steering
31096.02	Stainless steel steering wheel with teak rim at steering position
31145.21	Fuel tanks of advanced design with inspection/cleaning hatch
31161.03	Magnetic level gauge in fuel tanks for direct volume indication
31180.03	Separate second (1 x on engine) fuel filter with water separator, per engine
31210.02	Remote fuel supply cut-off to engines from dinette settee
31300.01	Linssen Yachts per cabin thermostatically controlled warm water heating with radiators in the forward cabin, guest cabin, dinette/saloon, aft cabin and wheelhouse.
31307.01	Radiator in front cabin toilet compartment. Thermostatically controlled.
31307.21	Radiator in aft cabin toilet compartment. Thermostatically controlled.
31310.02	LED Engine room lighting with switch and indicator in switch panel
31331.01	Entrance engine compartment by folding ladder between the engines.
31700.03	Automatic fire extinguishing in engine compartment
31750.01	Linssen super sound insulation package consisting of a sound absorbent insulation and a non vibration package.
3.2 ON-BOARD WATER SYSTEMS	
32010.13	Automatic pressurized water system (incl. solid PVC water tank with inspection/cleaning hatch), incl. level indicator
32020.01	Automatic pump for water system
32050.04	Hot water system (60 litre calorifier)
32060.01	230 V./800W immersion heater in calorifier
32080.06	Holding tank toilet including Dockside-Discharge connection and level indicator
32095.01	All grey water outlets (sinks and shower-drainage) discharge directly overboard Drain pump(s) shower(s) finished with time relay
32110.02	Holding tank waste pump-out unit for Direct Discharge, equipped with timer, so pump switches off automatically after 10 min.
32150.04	Deck-wash pump, including hose and trigger nozzle with connection at bathing platform
32190.01	Electric bilge pump installations placed in bilges of aft cabin, forward cabin and engine room. Equipped with float switch & alarm (3 x type L1600 pumps)
32200.01	Additional loose electric bilge pump provided, with discharge tube and supply cable
3.3 ELECTRICAL & ELECTRONICS	
33020.01	Electric domestic 12 V. with automatic main fuse and separate fuses for all users
33022.01	Linssen Yachts ICCISS main switchboards, 1x in saloon and 1x at steering position, for control of key functions and reading of fluid levels
33030.01	230V. /16Amp shore power connection, incl. galvanic insulator, earth leakage circuit breaker and automatic fuse protected end groups with indication and shore power cable (25 metres)
33082.04	Domestic: 12V. with 4 maintenance free "Super Cycle" AGM-batteries 170 Ah.
33180.01	Starting circuit 12V. with 1 x maintenance free "Super Cycle" AGM-battery 170 Ah.
33225.01	Service-circuit 12V. with 1 x maintenance free "Super Cycle" AGM-battery 170 Ah.
33229.01	Domestic net equipped with remote-controlled main switch
33271.03	Automatic battery charger/invertor type Victron Quattro 12/3000 with battery monitor
33295.02	Generator ONAN 400 V/17,5 kW. Priority switch shore power/generator and reverse. Start/stop on steering position.
3.4 INSTRUMENTS & NAVIGATION	
34010.02	2 x engine instrument panels with rev. counter, engine hour meter and multifunction meter

Linssen Yachts Standard Equipment

Linssen Grand Sturdy 480 AC Variotop®

30 July 2019
Version: 02-2019

Item	Description
	with voltmeter with alarm, temperature gauge with alarm and oil pressure gauge with alarm
34030.02	Compressor horn with control at steering position
34050.02	Government approved LED navigation lights: Starboard and Port side on superstructure, stern light, top light in mast and anchor light
	3.4.1 NAVIGATION INSTRUMENTS
34080.00	Raymarine DST800 triducer with read out from echosounder, log and outside water temperature on Axiom display
34110.11	Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer)
34125.07	Raymarine Axiom12, 12" multifunctional colour display with touchscreen and Wi-Fi at steering position. Including read out from echosounder, log and outside water temperature.
34132.80	Raymarine RMK-10 remote keypad for complete touch control for Axiom display.
34140.03	Navionics Gold XL9 marine chart type 46XG, West Europe
	3.5 EXTERIOR EQUIPMENT HULL
35010.00	Magnesium or zinc anodes (depending on cruising area)
35030.01	Original Linssen synthetic-fibre rope fender, with stainless steel stretcher (Beige colour)
35040.01	Ships name on bow and stern. Port of Registry and Registration number on stern in colour of the waterline Bow letter type; Snell Roundhand. Stern letter type; VAG
35090.04	Lewmar VX-series, type VX3 Heavy Duty electric anchor winch, with integrated stainless steel anchor rolls, anchor rail, mooring facility and deck switches.
35120.02	20 kg. galvanized Bruce-anchor
35140.03	50m. x 10mm. anchor chain, according DIN 766
	3.7 EXTERIOR EQUIPMENT SUPERSTRUCTURE
37020.03	Stainless steel windscreen wiper installation in wheelhouse SB, middle and port, with touch control suitable for 2 speeds, self-parking, 3- positions interval on 25, 50 and 75% and wish-wash. Incl. integrated choice for synchronise the windscreen wipers at low speed
37050.03	Window spray-installation wheelhouse for 3 windscreen wipers
37070.02	Original Linssen Design mast, with double yard, on saloon deck powder coated in superstructure colour, finished with "eyes" and cleats between the yards for flag lines
37075.02	Stainless steel mast stays with quick release system
37230.01	Fixed luxury teak table with 2-piece folding joint with quick release at bench on aft deck with stainless steel base.
37245.01	Teak deck box joint table model
37271.11	Entrance doors, varnished in superstructure colour
	3.8 WINDOWS
38030.01	Double-glazed "Summer Green" tinted windows in the saloon with thermal insulated profile (Thermic Line).
38040.05	Aluminium Stbd fixed front window in saloon finished in (Thermic Line) double glass, incl. thermal insulated profile
38230.01	Double-glazed "Summer Green" tinted windows in the wheelhouse with thermal insulated profile (Thermic Line). Front windows in plain glass.
38300.02	4x opening port-holes in the forward cabin, with plain acrylate, aluminium anodised with rain protection covers and mosquito screens
38320.01	5x opening 1x fixed port-holes in the aft cabin, with plain acrylate, aluminium anodised with rain protection covers and mosquito screens

Linssen Yachts Standard Equipment

Linssen Grand Sturdy 480 AC Variotop®

30 July 2019
Version: 02-2019

Item	Description
38400.01	Aluminium ventilation/escape hatch, with "Summer Green" tinted acrylate in the forward cabin, incl. blind rouleau/curtain with integrated screen
38410.01	Aluminium ventilation/escape hatch, with "Summer Green" tinted glass in guest cabin and head, incl. blind rouleau/curtain with integrated screen
38420.01	Aluminium ventilation/escape hatch with tinted glass in aft cabin, incl. blind rouleau/curtain with integrated screen
38440.03	Fixed aluminium deck window integrated in saloon deck as engine hatch, profile coated in colour superstructure (Linsen Sand Beige)
4. INTERIOR	
GENERAL	
40010.01	Linssen panels FPS® (Floating Panel System, Patented)
40020.01	Interior constructed of high-end okoumé panelling with cherry veneer
40025.01	Interior and exterior style "Sand": Soft natural tints, based on shells, sand and beach, are prominent in this interior style. The atmosphere created by sand and water in the interior generates tranquility.
40030.02	Deck-head lining in elegant vinyl finish panels
40040.01	Original Linssen maintenance friendly ship's floor, teak color with light striping
40050.02	High gloss stainless steel fittings in all compartments
40060.02	High gloss stainless steel door and locker furniture, with push-button catches
4.1 AFT CABIN	
41010.01	Stylish/high quality floor covering in rear cabin on second floor level next to bed.
41021.01	Double berth, with slatted base and sprung mattress including spacious drawers underneath bed
41031.01	Bedside table at Port side
41041.01	Bedside table at Starboard side
41121.01	Spacious hanging wardrobes in the aft cabin
41141.01	Cupboard at SB- and Port side in the aft cabin
41161.01	Cabinets in hall Port side with cupboards of 45 and 60 cm wide, suitable for any built-in equipment.
41171.01	Cabinet hallway Starboard side with multifunctional hanging/cupboards and drawers
4.1.2 SHOWER AND HEADS COMPARTMENTS	
41062.02	Toilet compartment in the aft cabin in high quality Formica wall finishing
41071.13	Integrated washbasin surface mounted in aft toilet-compartment vanity unit. Worktop finished in original corian®
41092.02	Shower in the AC finished in high quality Formica wall finishing
41092.91	Shower tray aft cabin in corian designed with grooves for water drainage
4.2 SALOON & GALLEY	
42011.90	Hatch above engine room for easy access and inspection of this room.
42021.01	Comfortable L-shaped saloon settee with integrated storage space
42035.03	Elegant saloon table, low model
42041.01	Grab rail at saloon stairs, in high gloss stainless steel
42071.03	L-shaped dinette with integrated drawers
42081.01	U-shaped galley with cupboards and drawers
42092.03	U-shaped galley worktop finished with original Corian®
4.3.1 FRONT CABIN AND GUEST CABIN	
43010.01	Stylish/high quality flooring in front cabin on second floor level next to bed.
43021.01	Double berth with slatted base and large drawer

Linssen Yachts Standard Equipment

Linssen Grand Sturdy 480 AC Variotop®

30 July 2019
Version: 02-2019

Item	Description
43031.01	Combined hanging-locker/linen-cupboard on Port side
43041.02	Spacious linen cupboard on Starboard side
43101.01	Two single berths in the guest cabin, incl. drawer under Stbd berth. The beds can be converted into one double bed
43121.01	Spacious linen cupboard in guest cabin
4.3.2 SHOWER AND HEADS COMPARTMENTS	
43062.02	Toilet/shower walls FC in high quality Formica wall finishing
43071.13	Integrated washbasin surface mounted in front toilet-compartment vanity unit. Worktop finished in original Corian®
43082.02	Shower in the FC finished in high quality Formica wall finishing
43081.11	Storage space in the toilet compartment FC
43082.91	Shower tray front cabin in corian designed with grooves for water drainage
4.4 WHEELHOUSE	
44021.01	Bench on the Port side including drawer
44031.01	Helmseat with integrated pull-out table
44101.01	Wetbar at SB-side incl. Corian wash basin and hot and cold mixer tap
44081.01	Walnut wood dashboard finished in real leather, at SB side
44091.02	Comfortable electric adjustable Linssen Design helm seat, in height adjustable, with matching leather upholstery. Horizontally electric adjustable
5. FINISH	
5.1 LIGHTING & SOCKETS	
51010.05	LED interior lighting with wall switches and/or switch on light point in the compartments. Dimmable LED lighting in front cabin, guest cabin, saloon, aft cabin and wheelhouse.
51070.11	Luxurious LED reading lights (2x) in the aft cabin
51080.11	Luxurious LED reading lights (2x) in the front cabin
51090.11	Luxurious LED reading lights (2x) in the guest cabin
51100.02	Attractive indirect lighting in the FC and AC heads
51400.11	USB-connection in saloon (1x), dinette (1x), FC (1x), guest cabin (1x), AC (3x) and in wheelhouse (2x) for charging mobil equipment. (Total 9x)
51500.00	1 x 12 V. socket in the saloon on Port-side, aft
51601.01	230 V. sockets in the FC (2x), guest cabin (1x), toilet FC (1x), dinette (1x), saloon (2x), galley (1x double), toilet AC (1x), AC (3x), dressing table AC (1x) and in the wheelhouse (2x)
5.2 GALLEY	
52015.01	Bar cupboard/drawer in saloon, incl. set of Linssen Yachts glasses (comprising: 6 shot glasses, 6 highball glasses, 5 whisky glasses, 6 wine glasses and 6 champagne glasses)
52020.01	Integrated waste bucket in cupboard
52025.01	Plate holders and anti-skid mats in galley drawers
52030.01	Cutlery tray
52035.02	"Magic Corner" cupboard incl. basket set in the galley
52040.02	110 l. refrigerator with freezer compartment in the galley
52100.02	230V. washer/dryer combination, fitted in the forward cabin shower compartment
52140.02	230V. induction hob, stainless steel, with touch control. 1 x 1200 W. cooking zone, 2 x 1800 W. cooking zone, 1 x 2200 W. cooking zone
52180.01	Stainless steel/corion sink
53020.03	Mixer tap in galley type Grohe Essence
52220.02	230V. stainless steel 42 l. microwave/oven/grill combination. Temperature range 30-250

Linssen Yachts Standard Equipment

Linssen Grand Sturdy 480 AC Variotop®

30 July 2019
Version: 02-2019

Item	Description
	degrees. 90-1000W microwave power
	5.3 SANITARY FITTINGS
53010.01	Selected bathroom fittings (mirror, toilet paper holder, etc.), in the forward cabin
53015.01	Selected bathroom fittings (mirror, toilet paper holder, etc.), in the aft cabin
53030.04	Build in wall mixer tap in toilet compartment FC, chrome, type Grohe Talis
53040.04	Build in wall mixer tap in toilet compartment AC, chrome, type Grohe Talis
53050.06	Build in wall mixer tap in forward shower type Grohe (Thermostatically adjustable) incl. shower rail
53060.06	Build in wall mixer tap in aft shower type Grohe (Thermostatically adjustable) incl. shower rail
53090.01	Shower door in aft cabin shower
53130.02	Electric toilet in forward cabin, with fresh water rinsing
53140.02	Electrical toilet in the aft cabin, with fresh water rinsing
	5.4 AUDIO / VIDEO / INTERNET
54010.02	Stereo radio/MP3-player Fusion Apollo Apollo RA770 with bluetooth and touch screen, including Fusion Subwoofer and 2 speakers in the saloon and amplified radio-antenna in the mast, connected to Raymarine display. Radio can be controlled via Fusion app on smart phone or tablet
54035.04	Set speakers in wheelhouse
54200.01	Primary TV connection at saloon under steering position, incl. extra 230 V. socket
54250.01	Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network.
54400.04	49" (123cm) LED TV with integrated DVB-T & DVB-S tuner in saloon integrated on AC wall
	5.6 INTERIOR UPHOLSTERY
56021.02	Dinette settees, finished in genuine leather
56031.02	L-shaped saloon settee, finished in genuine leather
56050.02	Dashboard finished in genuine leather
56095.02	Steering settee in wheelhouse finished in genuine leather
56101.11	Mattress 1x 2 pers. in front cabin type coldfoam 14 cm. with layer in foam in two hardness grades.
56131.02	Mattress 2x 1 pers. in aft cabin type Combispring 14 cm.
56161.01	Mattress 2x single person in guest cabin type coldfoam 10 cm. with layer in foam in two hardness grades.
56300.01	Beautiful pleated window covering manually operated for windows and port holes throughout the ship
	5.7 EXTERIOR UPHOLSTERY
57015.00	Cushions for aft deck settee in imitation leather, color depending on chosen interior package
	5.8 EQUIPMENT
58010.01	Spares kit including tool-kit, impeller, fuses, paint-tips and various maintenance parts
58020.01	Complete inventory including 6 fenders, 4 mooring ropes (16 meters), boathook, life buoy, bucket, scrubbing brush, national flag, yard burgee, safety rope for anchor chain and anchor ball
58030.01	First-aid box in saloon according to DIN13157
58040.01	ABC fire class compliant fire extinguishers (3 x 2 kg)
58045.01	Optical smoke detector with fixed built-in lithium battery (life span 10 years) in all sleeping compartments.

Linssen Yachts Standard Equipment

Linssen Grand Sturdy 480 AC Variotop®

30 July 2019
Version: 02-2019

Item	Description
5.9 CANVAS & COVERS	
59150.01	Linssen Variotop® insulated cabriolet of high-grade Sonnenland Java canvas including bright inside lining