

SPECIFICHE TECNICHE PRELIMINARI
PRELIMINARY TECHNICAL SPECIFICATIONS

38



PARDO
YACHTS

SPECIFICHE TECNICHE/TECHNICAL SPECIFICATIONS



Lunghezza fuori tutto/Length overall	11,90 mt – 39' ft
Lunghezza scafo/Hull length	10,95 mt – 35' 11" ft
BMAX	3,60 mt – 11' 8" ft
Pescaggio/Draft	0,90 mt – 2' 95" ft
Persone imbarcabili/Person capacity	12 B / 16 C
Layout	1 cabin + 1 head
Dislocamento/Displacement	7 ton ca. – 15 400 lb approx.
Motori/Engines	Volvo V6-280HP gasoline (<i>std</i>) Volvo D4-300HP x 2 diesel (<i>opt</i>) Volvo D6-380HP x 2 diesel (<i>opt</i>) Volvo D6-440HP x 2 diesel (<i>opt</i>) Mercury Verado 300HP x 2 (<i>opt</i>) Mercury Verado 350HP x 2 (<i>opt</i>) Mercury Verado 300HP x 3 (<i>opt</i>)
Serbatoio carburante/Fuel capacity	1.000 lt ca. – 260 gal approx.
Serbatoio acqua/Water capacity	180 lt ca. – 47 gal approx.
Progetto/Project	Zuccheri Yacht Design
Design	Zuccheri Yacht Design & Cantiere del Pardo
Costruttore/Builder	Cantiere del Pardo
Categoria CE/CE category	B

SCAFO E COPERTA/HULL AND DECK



COSTRUZIONE SCAFO E COPERTA

Lo scafo è finito esternamente con gelcoat bianco neopentilico seguito da uno skin-coat con resina vinilestere contro l'osmosi. Sentine e gavoni sono verniciati con gelcoat bianco.

Sono previste 3 linee di bellezza, 1 alta e 2 basse, di colore nero.

La coperta è finita esternamente con gelcoat bianco neopentilico, nelle zone di camminamento è prevista l'applicazione di antisdrucciolo bianco ad alta tenuta con microsfere ove non presente il teak.

COPERTA

- Coperta, falchetta in vetroresina
- Tientibene passavanti in acciaio inox
- Tientibene plancia in acciaio inox
- Vano laterale parabordi
- Gradini laterali ripiegabili
- Passauomo sala macchine
- Porta di accesso cabine in acciaio inox e plexiglass fumè
- Prendisole a prua
- Panche fisse a poppa
- Tavolo fisso centrale
- Plancetta fissa di poppa (*opt: ricoperta in teak*)
- Doccetta estraibile acqua fredda e calda
- Presa corrente banchina
- Tappi imbarco gasolio e acqua

HULL & DECK CONSTRUCTION

The hull is externally varnished with white neopentyl gelcoat followed by a skin-coat with vinyl ester resin against osmosis. Bilges and lockers are varnished with white gelcoat.

There are 3 planned waterlines, one high and two low in black color.

The deck is externally varnished with white neopentyl gelcoat and white high sealing microspheres. Antiskid will be applied in the walkway areas and where teak is not present.

DECK

- Deck, bulwark in grp
- Stainless steel handrails on port and starboard side
- Stainless steel handrails on control panel
- Side compartment for fenders
- Foldable side ladders
- Access to engine room
- Companionway in fumè Plexiglass & stainless steel
- Bow sunbathing mattress in Silvertex
- Seating benches in Silvertex
- Fixed table in cockpit
- Standard fixed platform (*opt: covered in teak*)
- Outdoor shower with hot and cold water
- Shore power
- Fuel and water tank refill access

SCAFO E COPERTA/HULL AND DECK

A large, stylized white number '38' is positioned in the top right corner of the page. The number is set against a dark, textured background that appears to be a close-up of a boat's surface. The '3' and '8' are connected, with the '8' having a distinctive shape with a horizontal bar.

T-TOP

- T-Top in carbonio e di colore nero
- 2 Led color bianco centrali
- 8 Luci Led extra (*opt*)
- Copertura parasole di poppa con pali amovibili (*opt*)
- Copertura parasole di prua con pali amovibili (*opt*)

CONSOLLE COMANDI

- 3 Sedute pilota in silvertex
- Volante regolabile
- Porta bicchieri lato volante
- Poggiapiedi
- Tientibene
- Parabrezza
- Scaletta bagno
- Presa USB

CUCINA

- Color bianco
- 2 fuochi elettrici
- 1 lavello quadrato in vetroresina
- 1 frigo con apertura in acciaio inox

T-TOP

- T-Top in carbon color black
- 2 white Led lights in the centre
- 8 extra led lights (*opt*)
- Aft tent with poles (*opt*)
- Bow tent with poles (*opt*)

CONTROL PANEL

- 3 Pilot seats in Silvertex
- Adjustable steering wheel
- Cup holders near the steering wheel
- Footstool
- Handrail
- Windshield
- Bathing ladder
- USB socket

GALLEY

- Outdoor galley color white
- 2 electrical fires
- 1 fiberglass sink
- 1 fridge with satin stainless steel door

SCAFO E COPERTA/HULL AND DECK

38

OPTIONAL A RICHIESTA:

- 1 Barbeque
- 2 Frigoriferi a cassetto
- Tavolo abbattibile elettrico con due basamenti

OPTIONAL ON REQUEST:

- 1 BBQ
- 2 drawer fridges under seat bench
- Cockpit table with an electric lifting system



INTERNI/INTERIORS

A large, stylized white number '38' is positioned in the top right corner of the page. The number is set against a dark, textured background that appears to be a close-up of a boat's hull or a similar material. The '3' and '8' are connected and have a modern, sans-serif font style.

INTERIOR LAYOUT

Gli interni sono realizzati in rovere o verniciati a richiesta (*opt*). Le luci interne sono a led.

CABINA ARMATORIALE

- Letto matrimoniale (1.60 X 2.00 m)
- Gavoni e cassetti
- 1 armadietto
- 1 osteriggio apribile con tendine oscuranti
- 2 oblò apribili
- Luci led di cortesia
- Presa di corrente 12 V e USB (*opt*)
- Aria condizionata e Riscaldamento (*opt*)

BAGNO ARMATORIALE

- Wc elettrico ad acqua dolce
- Lavello in Corian
- Specchio, gavone e mensola
- Pompa di drenaggio elettrica
- Doccia
- 1 oblò apribile

INTERIOR LAYOUT

The interior layout is realized in oak (*std*) and can be replaced with different wood types or varnished on requested (*opt*). Interior led lights.

MASTER CABIN

- Large berth (1.60 X 2.00 m)
- Lockers and drawers
- 1 locker
- 1 opening hatch with tent
- 2 opening portholes
- Courtesy led lights
- 12 V socket and USB (*opt*)
- A/C and heating system (*opt*)

OWNER HEAD

- Electric toilet with fresh water
- Corian sink
- Mirror, locker & shelf
- Electric drain pump
- Shower
- 1 opening porthole

IMPIANTI DI BORDO/SYSTEMS



IMPIANTI DI BORDO

Tutti gli impianti di bordo sono realizzati impiegando materiali di prima qualità e conformi al marchio CE, secondo gli standard costruttivi del cantiere.

POMPE DI SENTINA

- Circuiti elettrici da 12V
- 2 pompe elettriche con galleggianti automatici ed allarmi in plancia

BATTERIE

- Pannello di controllo elettrico 12V
- Presa 230V
- 2x90 Amp motore
- 2x90 Amp servizi

PANNELLO ELETTRICO 230 V

- Interruttore di sicurezza
- Presa 230 V (presa di banchina)
- Interruttore separato per boiler acqua

CARICABATTERIA

- Caricabatteria
- Stacca batterie

PANNELLO DI CONTROLLO ELETTRICO 12V

- Indicatore batteria

SYSTEMS

All on board systems are made in high quality materials according to the construction standards of the yard and respect to the CE.

BILGE PUMPS

- Electric circuit 12V
- 2 electric pumps with automatic floating alarm system

BATTERY

- 12V electric control panel
- Shore power 230V
- 2x90 Amp engine batteries
- 2x90 Amp service batteries

230V ELECTRIC PANEL

- Safety switch
- 230V shore power
- Boiler switch

BATTERY CHARGER

- Battery charger
- Batteries switch

12V ELETTRIC CONTROL PANEL

- Battery gauge

IMPIANTI DI BORDO/SYSTEMS

38

LUCI

- Luci cielino
- Luci lettura
- Luci bagno
- Luci cortesia

ENTERTAINMENT

- Impianto fusion (*opt*)
- 1 TV led 22" (*opt*)

MOTORI

- Volvo V6-280HP x 2 benzina (*std*)
- Volvo D4-300HP x 2 diesel (*opt*)
- Volvo D6-380HP x 2 diesel (*opt*)
- Volvo D6-440HP x 2 diesel (*opt*)
- Mercury Verado 300HP x 2 (*opt*)
- Mercury Verado 350HP x 2 (*opt*)
- Mercury Verado 300HP x 3 (*opt*)
- Vano motore completamente insonorizzato

INTERIOR LIGHTING

- Ceiling lights
- Reading Lights
- WC lights
- Indirect lights

ENTERTAINMENT

- Fusion with remote control (*opt*)
- 1 TV led 22" (*opt*)

ENGINES

- Volvo V6-280HP x 2 gasoline (*std*)
- Volvo D4-300HP x 2 diesel (*opt*)
- Volvo D6-380HP x 2 diesel (*opt*)
- Volvo D6-440HP x 2 diesel (*opt*)
- Mercury Verado 300HP x 2 (*opt*)
- Mercury Verado 350HP x 2 (*opt*)
- Mercury Verado 300HP x 3 (*opt*)
- Engine room with soundproof isolation

SCAFO E COPERTA/HULL AND DECK

A large, stylized white number '38' is positioned in the top right corner of the page. The number is set against a dark, textured background that appears to be a close-up of a boat's hull or deck material.

SERBATOI

- Capacità serbatoio del carburante: 1.000 lt ca
- Capacità serbatoio acqua: 180 lt ca
- Serbatoio acque nere: 30 lt ca
- Boiler acqua calda: 40 lt
- Indicatore carburante
- Indicatore acqua

SALA MACCHINE

- 2 taglio combustibile d'emergenza
- Estintori

TANKS

- Fuel tank capacity : approx. 1.000 lt
- Fresh water capacity : approx. 180 lt
- Black water tank: approx. 30 lt
- Hot water boiler : 40 lt
- Fuel gauge
- Water gauge

ENGINES ROOM

- 2 emergency fuel shutdown
- Fire extinguishers

The logo consists of the numbers '38' in a bold, white, sans-serif font. The '3' has a horizontal bar that extends to the left, and the '8' is a simple, rounded shape. The logo is set against a dark, textured background that appears to be a close-up of a material like carbon fiber or a similar composite material.

Pardo Yachts si riserva il diritto di modificare senza preavviso il prodotto, le sue specifiche e la loro descrizione contenuta in questo catalogo. Pardo Yachts è un marchio registrato © Cantiere del Pardo S.p.A. Tutti gli altri marchi sono registrati dai rispettivi proprietari. © Cantiere del Pardo S.p.A. 2019. Tutti i diritti riservati.

Pardo Yachts reserves the right to modify the products, their specifications and descriptions contained in this catalogue without notice. Pardo Yachts is a registered trademark of © Cantiere del Pardo S.p.A. All the other trademarks are registered by their respective owners. © Cantiere del Pardo S.p.A. 2019. All rights reserved.

PARDO

YACHTS

PARDOYACHTS.COM



 CANTIERE DEL PARDO S.p.A.

VIA F.LLI LUMIÈRE 34 - 47122 FORLÌ (FC) ITALY - +39 0543 782404