GMA Wood Stringer Pallet (Premium Plus)

Canada (48 x 40 inches)



Overview

GMA wood stringer pallet (48 x 40 inches) for the Canadian market. Nominal 6" lead boards on top and bottom decks. Stringers have no block, companion board, or plate repairs. No less than 5 boards on bottom.



Features and Benefits

Standard Design

- Double-face, non-reversible
- Suitable for automated production and warehousing facilities
- Reduces distribution and retail labor
- Partial 4-way entry allows access to forklift trucks from all four sides, pallet jacks from the 40" side and only low-profile pallet trucks from the 48" side
- Suitable for in-store display
- Retail-ready packaging

Consistent Availability

- Ensures no delay in production at times of seasonal or unexpected demand
- Small quantity orders
- Heat treated pallets available

Environmentally Sound

 Made from 100% reusable or recycled materials

Specifications

Dimensions - in inches

Length Width 48 40

Configuration

(7) top deck boards or equivalent coverage (maximum spacing 4")

Boards can be nominal 4" to 6" inches wide

Minimum board thickness of 1/2"

No less than (5) boards on bottom

(3) stringers

Notes

Materials

Wood: Hardwood or Softwood species lumber

Nails: Either standard or stiff stock wire

Performance and Standards

A general purpose pallet that can be safely used for most applications in the manufacturing, distribution and transport supply chains

Truck Load Quantity

Up to 520 pallets

paramountpallet.com

1-800-268-7799

GMA Wood Stringer Pallet (Premium)

Canada (48 x 40 inches)



Overview

GMA wood stringer pallet (48 x 40 inches) for the Canadian market. Nominal 4" or 6" lead boards on top and bottom decks. Stringers have no block or companion board repairs, may include plate and/or corrugate repairs. No less than 5 boards on bottom.



Features and Benefits

Standard Design

- Double-face, non-reversible
- Suitable for automated production and warehousing facilities
- Reduces distribution and retail labor
- Partial 4-way entry allows access to forklift trucks from all four sides, pallet jacks from the 40" side and only low-profile pallet trucks from the 48" side
- Suitable for in-store display
- Retail-ready packaging

Consistent Availability

- Ensures no delay in production at times of seasonal or unexpected demand
- Small quantity orders
- Heat treated pallets available

Environmentally Sound

 Made from 100% reusable or recycled materials

Specifications

Dimensions - in inches

Length Width

Configuration

(7) top deck boards or equivalent coverage (maximum spacing 4")

Boards can be nominal 4" to 6" inches wide

Minimum board thickness of 1/2"

No less than (5) boards on bottom

(3) stringers

Notes

Materials

Wood: Hardwood or Softwood species lumber

Nails: Either standard or stiff stock wire

Performance and Standards

A general purpose pallet that can be safely used for most applications in the manufacturing, distribution and transport supply chains

Truck Load Quantity

Up to 520 pallets

paramountpallet.com

1-800-268-7799

GMA Wood Stringer Pallet (Regular)

Canada (48 x 40 inches)



Overview

GMA wood stringer pallet (48 x 40 inches) for the Canadian market. Nominal 4" or 6" lead boards on top and bottom decks. Stringers may have block or companion board, corrugate, or plate repairs. No Less than 5 boards on bottom.



Features and Benefits

Standard Design

- Double-face, non-reversible
- Suitable for automated production and warehousing facilities
- Reduces distribution and retail labor
- Partial 4-way entry allows access to forklift trucks from all four sides, pallet jacks from the 40" side and only low-profile pallet trucks from the 48" side
- Suitable for in-store display
- Retail-ready packaging

Consistent Availability

- Ensures no delay in production at times of seasonal or unexpected demand
- Small quantity orders
- Heat treated pallets available

Environmentally Sound

 Made from 100% reusable or recycled materials

Specifications

Dimensions - in inches

Length Width

Configuration

(3) stringers

(7) top deck boards or equivalent coverage
Boards can be nominal 4" to 6" inches wide
Minimum board thickness of ½"
No less than (5) boards on bottom

Notes

Materials

Wood: Hardwood or Softwood species lumber

Nails: Either standard or stiff stock wire

Performance and Standards

A general purpose pallet that can be safely used for most applications in the manufacturing, distribution and transport supply chains

Light duty use - not to be racked

Truck Load Quantity

Up to 520 pallets

paramountpallet.com

1-800-268-7799

Vancouver • Calgary • Edmonton • Winnipeg • Toronto • Montreal