


### Analog Junction Box

#### FEATURES

- Connection of 4 to 10 load cells
- Robust enclosure with cable glands sealed to IP67
- Easy trimming via resistors or potentiometers
- Integrated surge protection devices
- Strain relief cable fittings
- EMC compatibility



#### APPLICATIONS

- Truck scales/weighbridges
- Floor scales
- Tanks and silos

#### DESCRIPTION

VTAJB family of analog junction boxes supplement the VT indicators family line. It offers easy connection of 4 to 10 load cells in a platform, with output trimming, surge protection and meeting EMC compatibility requirements.

SPECIFICATIONS	
<b>GENERAL</b>	
<b>Electromagnetic compatibility</b>	Compliant with EN45501
<b>Connectors</b>	Screw terminals
<b>Trimming</b>	Signal trim by resistors or potentiometer (max. 20Ω), both available in every box
<b>Surge protection</b>	90V clamp. Withstands up to 20 kV and up to 10 kA
<b>Temperature range</b>	-10 to +60°C
<b>AJB-4</b>	
<b>Enclosure</b>	Stainless steel
<b>External dimensions (mm)</b>	199 x 106 x 43.7 (L x W x H)
<b>Protection class</b>	IP67
<b>Cable fittings</b>	Stainless steel cable glands PG9 (cable diameter 3–9 mm)
<b>AJB-6</b>	
<b>Enclosure</b>	Stainless steel or Aluminum
<b>External dimensions (mm)</b>	Stainless steel: 199 x 106 x 43.7 (L x W x H); Aluminum: 240 x 200 x 80 (L x W x H)
<b>Protection class</b>	Stainless steel enclosure: IP67; Aluminum enclosure: IP65
<b>Cable fittings (Stainless steel)</b>	Stainless steel cable glands PG9 (cable diameter 3–9 mm)
<b>Cable fittings (Aluminum)</b>	Plastic cable glands PG11 (cable diameter 6–12 mm)
<b>AJB-8</b>	
<b>Enclosure</b>	Aluminum or Polyester
<b>External dimensions (mm)</b>	Aluminum: 240 x 200 x 80 (L x W x H); Polyester : 120 x 318 x 80 (L x W x H)
<b>Protection class</b>	IP65
<b>Cable fittings</b>	Plastic cable glands PG11 (cable diameter 6–12 mm)
<b>AJB-10</b>	
<b>Enclosure</b>	Polyester
<b>External dimensions (mm)</b>	120 x 318 x 80 (L x W x H))
<b>Protection class</b>	IP65
<b>Cable fittings</b>	Plastic cable glands PG11 (cable diameter 6–12 mm)

All specifications subject to change without notice.

Document No.: 11647 Revision: 17 Dec 2014

## Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. **To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.**

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at [vpgsensors.com](http://vpgsensors.com).

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.

Document No.: 63999

Revision: 15-Jul-2014