




159 Crocker Park Blvd, 4th Floor
Westlake, Ohio 44145
Toll Free: 866-440-2123
By Fax: 216-591-1276
Email: info@standuppouches.net
Web: www.standuppouches.net

PK 22C	MILITARY SPEC		Film Data Sheet
	Exterior		
			
	Interior		
	Poly Kraft Type 22C		
Physical Description: Creped Natural Kraft / Polyeyethylene Lamination			

MIL Specification:
Film MIL PRF 121 GA T2 C1

Application:
PK 22C is a creped kraft material used for packaging military and/or general industrial parts. Its main function is to guard against water and grease contamination. It has a brown kraft on its exterior and its clear shinny layer can be seen by viewing its sealant layer.

Converting:
It can be converted in the following ways: 3-seal pouch, sheeting, and tubing.

Physical Properties:

PROPERTIES	TEST METHOD	UNIT OF MEASURE	TYPICAL VALUE
Caliper		mils	20
Yield		sq.In/Lb	4640
Burst	Mullen	Psi	25
Tensile MD	ASTM D882	lbs. at break	15
Tensile XMD	ASTM D882	lbs. at break	15
Tear MD	ASTM D-689	lbs. at break	100
Tear XMD	ASTM D-689	lbs. at break	100