



## ADAPT-A-DOOR Order Form

(Refer to Information Sheet)

### ADAPT-A-DOOR ORDER FORM INSTRUCTIONS

Use these instructions and the Information Sheet (page 3) to help you complete the Adapt-A-Door Order Form.

#### MEASUREMENTS:

A - The thickness of the door frame.

B - The height of the floor (raised sill)

WIC - The width in clear (smallest opening of the door frame)

HIC - The height in clear (smallest opening of the door frame)

FINISH: What type of finish do you want the door made in?

SWING: Facing the door what side of the door are the hinges on?

OPTIONS: You may select any or all of them.

- Window
- Diamond Tread Kick plate (interior, exterior, or both).
- Locking Bar
- Mirror Image Frame (frame on the inside to match the frame on the outside)
- "C" capping is trim that finishes the door frame from outside to inside.

APPLICATION: Is the box a cooler or a freezer?



# ADAPT-A-DOOR Order Form

(Refer to Information Sheet)

Completely fill out this form using the Information Sheet below as a guide.

Then fax it to 252-240-0871 or Email it to sales@ballyrefboxes.com.

If you have any questions please call 1-800-24BALLY

## CUSTOMER INFORMATION

Billing Name: \_\_\_\_\_

Address: \_\_\_\_\_

City/State/Zip: \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_ Email: \_\_\_\_\_

## FILL IN DIMENSIONS THAT APPLY (SEE INFORMATION SHEET-1)

\* - Note: Dimensions "B" is only required with a RAISED SILL condition.

A=

HIC=

\* B=

WIC=


## Door Information

Finish

Application:

Swing:

Existing Door Jamb Type:



New Door Jamb Type:

Sill Condition:

## Options & Accessories

☐ Locking Bar

☐ \_\_\_\_\_

☐ Mirror Image Frame



☐ Diamond Tread Kickplate \_\_\_\_\_

☐ "C" Capping

APPROVED BY: \_\_\_\_\_

Bally Refrigerated Boxes, Inc. 135 Little Nine Drive Morehead City, NC 28557  
NC FAX: 252-240-0871 | 1-800-24BALLY | EMAIL: sales@ballyrefboxes.com

### Existing Opening Information



### New Door Jamb (Details)

