

DropBoxInc.com

DropBox

DropBox

A Portable Solutions Group Company

8.0 PSI @ 200 MSEC BLAST BOX TOOL CRIB - 12'-0" X 40'-0" X 8'-6"

BLAST RATING TABLE		
P _{so}	DURATION	ASCE RESPONSE
8 PSI	200 MSEC	LOW TO MEDIUM
10 PSI	20 MSEC	LOW TO MEDIUM

*FREE FIELD PRESSURE - P_{so}

Copyright ©
DropBox, Inc.
Ironton, Ohio
May not be reproduced without the
written consent of DropBox, Inc.

THIRD ANGLE PROJECTION

SHEET SIZE

ANSI
D

STORAGE ON THE SPOT
Ironton, OH 1805 NORTH, 2ND ST. 45638

CUSTOM CONTAINER
MODIFICATION SPECIALISTS
FOR SHIPMENT WORLDWIDE

DropBox
A Portable Solutions Group Company

CUSTOMER
STANDARD

PROJECT
12'-0" X 40'-0" X 8'-6" - 8.0 PSI BLAST BOX TOOL CRIB

NO.	DATE	BY	DESCRIPTION	REVISIONS
A	2/22/2017	REA	FOR APPROVAL	
				SCALE: N.T.S.
				DWG NO. D17-020-00-8BTC-0001

DRAWN	CHECKED	ENG. APPR.	SALES APPR.	O.A.	SCALE	DWG NO.	D17-020-00-8BTC-0001
REA	JES						
							1 D17-020
							COMMENTS: FINISH 125/16 MAGNES SURFACES AND BREAK ALL SHARP EDGES UNLESS OTHERWISE SPECIFIED.
							THE NUMBER IN THE FINISH SYMBOL IS THE MAXIMUM ACCEPTABLE ROUGHNESS VALUE IN A.A. MICRO-INCHES.

TOLERANCES ON ALL DIMENSIONS UNLESS
OTHERWISE NOTED SHALL BE:
ONE PLACE DECIMAL ± 0.03
TWO PLACE DECIMAL ± 0.01
THREE PLACE DECIMAL ± 0.005
FRACTIONAL ± 1/16"
ANGULAR ± 1°

DropBox


INC.

DropBox Inc.com

DropBox

®

A Portable Solutions Group Company



8.0 PSI @ 200 MSEC BLAST BOX TOOL CRIB - 12'-0" X 40'-0" X 8'-6"

BLAST RATING TABLE		
P _{so}	DURATION	ASCE RESPONSE
8 PSI	200 MSEC	LOW TO MEDIUM
10 PSI	20 MSEC	LOW TO MEDIUM

*FREE FIELD PRESSURE - P_{so}

Copyright ©
DropBox, Inc.
Ironton, Ohio
May not be reproduced without the
written consent of DropBox, Inc.

THIRD ANGLE PROJECTION	SHEET SIZE
	ANSI D

STORAGE ON THE SPOT
Ironton, OH 1805 NORTH, 2ND ST. 45638

DropBox

INC.

DropBox Inc.

A Portable Solutions Group Company

CUSTOM CONTAINER
MODIFICATION SPECIALISTS
FOR SHIPMENT WORLDWIDE

DRAWN	BY	DATE	4
CHECKED	REA	2/22/2017	3
ENG. APPR.	JES	2/22/2017	2
SALES APPR.			1 D17-020
MFG. APPR.			COMMENTS:
O.A.			FINISH 125/
SCALE	N.T.S.		BREAK ALL SHARP EDGES UNLESS OTHERWISE SPECIFIED.
DWG NO			THE NUMBER IN THE FINISH SYMBOLS IS THE MAXIMUM ACCEPTABLE ROUGHNESS VALUE IN A.A. MICRO-INCHES.
D17-020-00-8BTC-0002			TOLERANCES ON ALL DIMENSIONS UNLESS OTHERWISE NOTED SHALL BE: ONE PLACE DECIMAL ± 0.03 TWO PLACE DECIMAL ± 0.01 THREE PLACE DECIMAL ± 0.005 FRACTIONAL ± 1/16" ANGULAR ± 1°

REVISIONS		DESCRIPTION	
NO.	DATE	REA	BY
A	2/22/2017	FOR APPROVAL	
TITLE			
ISOMETRIC SHEET			
12'-0" X 40'-0" X 8'-6" - 8.0 PSI BLAST BOX TOOL CRIB			

