AVTEOR

PLASMA & LCD CARTS



DIMENSIONS:

Load Capacity: 300 lbs

STAND

Height - 62"

Width - 45"

Depth - 24"

INTERIOR

Height - 14"

Rack Width - 19"

Depth - 12" (RPS-1000S)

Depth - 15.5" (RPS-1000S/E)

Rack to Glass - 2 1/4"

Rack Units - 8RUs

SHIPPING BOX (Palletized)


Length - 31"

Width - 46"

Height - 68"

Ship Weight - 230 lbs





The most functional and complete video conferencing cart on the market.

Supports one display up to 70"*. RPS-1000S is 12" deep; RPS-1000SE is 15.5" deep. Each comes standard with 8RY 19" rack mount bracket, 6 port surge protector, superior AmpliVox® speaker module and integrated adjustable camera shelf.

Please include model number of screens when ordering.

RPS-1000S/ RPS-1000SE

INNOVATIVE ROLLABOUT STANDS

The most **FEATURES** on the market:

- Standard 8RU 19" rack mount bracket
- One interior shelf
- ► AmpliVox® speaker module (PSM-200)**
- Integrated universal screen mount system
- ▶ Integrated adjustable v/c camera platform
- ▶ 5" Dual wheel casters, 2 with brake
- 6 Port surge protector
- Hinged rear access panels
- Extensive ventilation for max air flow and cooling
- Cable management features
- ▶ Tempered, tinted locking glass door
- Stylish and durable two-toned powder coat finish
- 2 single gane knockouts
- ▶ 100% Solid steel construction

Choose your **OPTIONS**:

- RPS-1000S for standard 12" interior depth
- ▶ RPS-1000SE for extended 15.5" interior depth
- Additional accessory shelf (RPS-AS1)
- Rear screen codec stand for vertically mounting codec (VS-500)
- ▶ 6 Port rack mount surge protector (RCK-PWR)
- Custom cut Rack Shelf for Lifesize[®], Polycom[®] and Tandberg[®] codecs
- Revolabs® Shelving System in various configurations for wireless microphone integration
- ► Heavy duty 6" caster upgrade (HDC-6)

*For applications with displays 70" and larger, please contact your AVTEQ representative
** Not intended for international use



