
SADLIER

ProgressMathematics

Standards-Based Instruction & Practice



Aligned to

Arizona's College and Career Ready Standards – Mathematics

Eighth Grade

Contents

The Number System	2
Expressions and Equations	2
Functions	4
Geometry	Ľ
Statistics and Probability	-





The Number System (NS)

EIGHTH GRADE STANDARDS / DESCRIPTION		SADLIER PRO	OGRESS MATHEMATICS, GRADE 8
	nat there are numbers that are not , and approximate them by rational rs.		
8.NS.A.1.	Know that numbers that are not rational are called irrational. Understand informally that every number has a decimal expansion; for rational numbers show that the decimal expansion repeats eventually, and convert a decimal expansion which repeats eventually into a rational number.	Lesson 1	Understand Rational and Irrational Numbers—pp. 10–17
8.NS.A.2.	Use rational approximations of irrational numbers to compare the size of irrational numbers, locate them approximately on a number line diagram, and estimate the value of expressions (e.g., π^2). For example, by truncating the decimal expansion of $\sqrt{2}$, show that $\sqrt{2}$ is between 1 and 2, then between 1.4 and 1.5, and explain how to continue on to get better approximations.	Lesson 2	Use Rational Approximations of Irrational Numbers—pp. 18–25

Expressions and Equations (EE)

EIGHTH GRADE STANDARDS / DESCRIPTION		SADLIER PROGRESS MATHEMATICS, GRADE 8	
Work wi	th radicals and integer exponents.	-	
8.EE.A.1.	Know and apply the properties of integer exponents to generate equivalent numerical expressions. For example, $3^2 \times 3^{-5} = 3^{-3} = 1/3^3 = 1/27$.	Lesson 3	Understand Zero and Negative Exponent —pp. 32–39
		Lesson 4	Learn Properties of Exponents—pp. 40-47
		Lesson 5	Use Properties of Exponents Generate Equivalent Expressions—pp. 48–55
8.EE.A.2.	Use square root and cube root symbols to represent solutions to equations of the form $x^2 = p$ and $x^3 = p$, where p is a positive rational number. Evaluate square roots of small perfect squares and cube roots of small perfect cubes. Know that $\sqrt{2}$ is irrational.	Lesson 6	Evaluate Square Roots and Cube Roots —pp. 56-63
		Lesson 7	Solve Simple Equations Involving Squares and Cubes—pp. 64–71
8.EE.A.3.	Use numbers expressed in the form of a single digit times an integer power of 10 to estimate very large or very small quantities, and to express how many times as much one is than the other. For example, estimate the population of the United States as 3 times 10 ⁸ and the population of the world as 7 times 10 ⁹ , and determine that the world population is more than 20 times larger.	Lesson 8	Estimate and Compare Large or Small Quantities—pp. 72–79



Expressions and Equations (EE)

EIGHTH GRADE STANDARDS / DESCRIPTION		SADLIER PROGRESS MATHEMATICS, GRADE 8	
8.EE.A.4.	Perform operations with numbers expressed in scientific notation, including problems where both decimal and scientific notation are used. Use scientific notation and choose units of appropriate size for measurements of very large or very small quantities (e.g., use millimeters per year for seafloor spreading). Interpret scientific notation that has been generated by technology	Lesson 9	Calculate with Numbers in Scientific Notation—pp. 80–87
	rand the connections between ional relationships, lines, and linear ns.		
8.EE.B.5.	Graph proportional relationships, interpreting the unit rate as the slope of the graph. Compare two different proportional relationships represented in different ways. For example, compare a distance-time graph to a distance-time equation to determine which of two moving objects has greater speed.	Lesson 10	Understand Proportional Relationships and Slope —pp. 88–95
8.EE.B.6.	Use similar triangles to explain why the slope m is the same between any two distinct points on a	Lesson 11	Understand Slope—pp. 96-103
	non-vertical line in the coordinate plane; derive the equation $y = mx$ for a line through the origin and the equation $y = mx + b$ for a line intercepting the vertical axis at b .	Lesson 12	Write Equations for Lines—pp. 104–111
simultai	and solve linear equations and pairs of neous linear equations.		
8.EE.C.7.	Solve linear equations in one variable.		
	a. Give examples of linear equations in one variable with one solution, infinitely many solutions, or no solutions. Show which of these possibilities is the case by successively transforming the given equation into simpler forms, until an equivalent equation of the form $x = a$, $a = a$, or $a = b$ results (where a and b are different numbers).	Lesson 13	Solve Linear Equations—pp. 112–119
	 Solve linear equations with rational number coefficients, including equations whose solutions require expanding expressions using the distributive property and collecting like terms. 	Lesson 13	Solve Linear Equations—pp. 112–119



Expressions and Equations (EE)

EIGHTH GRA	ade S	TANDARDS / DESCRIPTION	SADLIER PRO	GRESS MATHEMATICS, GRADE 8
8.EE.C.8.	Analyze and solve pairs of simultaneous linear equations.			
	a.	Understand that solutions to a system of two linear equations in two variables correspond to points of intersection of their graphs, because points of intersection satisfy both equations simultaneously.	Lesson 14	Solve Systems of Equations—pp. 120–127
	b.	Solve systems of two linear equations in two variables algebraically, and estimate solutions by graphing the equations. Solve simple cases by inspection. For example, $3x + 2y = 5$ and $3x + 2y = 6$ have no solution because $3x + 2y$ cannot simultaneously be 5 and 6.	Lesson 14	Solve Systems of Equations—pp. 120–127
	C.	Solve real-world and mathematical problems leading to two linear equations in two variables. For example, given coordinates for two pairs of points, determine whether the line through the first pair of points intersects the line through the second pair.	Lesson 15	Problem-Solving: Systems of Equations —pp. 128–135

Functions (F)

EIGHTH GRADE STANDARDS / DESCRIPTION		SADLIER PROG	GRESS MATHEMATICS, GRADE 8
Define,	evaluate, and compare functions.		
8.F.A.1.	4.1. Understand that a function is a rule that assigns to each input exactly one output. The graph of a function is the set of ordered pairs consisting of an input and the corresponding output.	Lesson 16	Understand Functions—pp. 142–149
		Lesson 17	Represent Functions—pp. 150–157
8.F.A.2.	n=1	Lesson 17	Represent Functions—pp. 150–157
	represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a linear function represented by a table of values and a linear function represented by an algebraic expression, determine which function has the greater rate of change.	Lesson 18	Compare Functions—pp. 158-165
8.F.A.3.	Interpret the equation $y = mx + b$ as defining a linear function, whose graph is a straight line; give examples of functions that are not linear. For example, the function $A = s2$ giving the area of a square as a function of its side length is not linear because its graph contains the points $(1,1)$, $(2,4)$ and $(3,9)$, which are not on a straight line.	Lesson 19	Investigate Linear and Non-Linear Functions—pp. 166–173



Functions (F)

EIGHTH GR	ADE STANDARDS /	DESCRIPTION	SADLIER PROG	GRESS MATHEMATICS, GRADE 8
Use fun quantiti		del relationships between		
8.F.B.4.	Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the	Lesson 20	Use Functions to Model Relationships —pp. 174–181	
	function from from two (x, y from a table of change and in terms of the s	and mittal value of the a a description of a relationship or a values, including reading these or from a graph. Interpret the rate of nitial value of a linear function in ituation it models, and in terms of table of values.	Lesson 21	Problem Solving: Use Linear Models —pp. 182–189
8.F.B.5.	between two (e.g., where the decreasing, line that exhibits to	itatively the functional relationship quantities by analyzing a graph he function is increasing or hear or nonlinear). Sketch a graph the qualitative features of a function described verbally.	Lesson 22	Analyze Graphs of Functions—pp. 190–197
Geon	etry (G)			
EIGHTH GR	ADE STANDARDS /	DESCRIPTION	SADLIER PRO	GRESS MATHEMATICS, GRADE 8
	models, tra	ence and similarity using nsparencies, or geometry		
8.G.A.1.		nentally the properties of rotations, ad translations:		
		taken to lines, and line segments to	Lesson 23	Verify Properties of Reflections and Translations—pp. 204–211
		nents of the same length.		pp. 201 211
		nents of the same length.	Lesson 24	Verify Properties of Rotations—pp. 212–219
	b. Angles at measure.	re taken to angles of the same	Lesson 24 Lesson 23	
	_	re taken to angles of the same		Verify Properties of Rotations—pp. 212–219 Verify Properties of Reflections and
	measure.	re taken to angles of the same	Lesson 23	Verify Properties of Rotations—pp. 212–219 Verify Properties of Reflections and Translations—pp. 204–211



Geometry (G)

EIGHTH GR	ade Standards / Description	SADLIER PRO	GRESS MATHEMATICS, GRADE 8
8.G.A.2.	Understand that a two-dimensional figure is congruent to another if the second can be obtained from the first by a sequence of rotations, reflections, and translations; given two congruent figures, describe a sequence that exhibits the congruence between them.	Lesson 25	Understand and Identify Congruent Figures—pp. 220–227
8.G.A.3.	Describe the effect of dilations, translations, rotations, and reflections on two-dimensional figures using coordinates.	Lesson 26	Reflect and Translate Figures on the Coordinate Plane—pp. 228–235
	ngares asing coordinates.	Lesson 27	Rotate Figures on the Coordinate Plane —pp. 236–243
		Lesson 28	Dilate Figures on the Coordinate Plane —pp. 244–251
8.G.A.4.	Understand that a two-dimensional figure is similar to another if the second can be obtained from the first by a sequence of rotations, reflections, translations, and dilations; given two similar two-dimensional figures, describe a sequence that exhibits the similarity between them.	Lesson 29	Identify Similar Figures—pp. 252–259
8.G.A.5.	Use informal arguments to establish facts about the angle sum and exterior angle of triangles, about the angles created when parallel lines are cut by a transversal, and the angle-angle criterion for similarity of triangles. For example, arrange three copies of the same triangle so that the sum of the three angles appears to form a line, and give an argument in terms of transversals why this is so.	Lesson 30	Establish Facts about Parallel Lines and Angles—pp. 260–265
		Lesson 31	Establish Facts about Triangles and Angles—pp. 266–275
Underst Theorer	and and apply the Pythagorean m.		
8.G.B.6.	Explain a proof of the Pythagorean Theorem and its converse.	Lesson 32	Understand the Pythagorean Theorem —pp. 276–283
		Lesson 33	Understand the Converse of the Pythagorean Theorem—pp. 284–291
8.G.B.7.	Apply the Pythagorean Theorem to determine unknown side lengths in right triangles in realworld and mathematical problems in two and three dimensions.	Lesson 34	Problem Solving: The Pythagorean Theorem—pp. 292–299
8.G.B.8.	Apply the Pythagorean Theorem to find the distance between two points in a coordinate system.	Lesson 35	Calculate Distances in the Coordinate Plane—pp. 300–307



Geometry (G)

EIGHTH GRADE STANDARDS / DESCRIPTION		SADLIER PROG	GRESS MATHEMATICS, GRADE 8
	al-world and mathematical problems g volume of cylinders, cones, and		
8.G.C.9.	Know the formulas for the volumes of cones, cylinders, and spheres and use them to solve realworld and mathematical problems.	Lesson 36	Learn and Apply Volume Formulas —pp. 308–315
Statis	tics and Probability (SP)		
EIGHTH GRA	ADE STANDARDS / DESCRIPTION	SADLIER PROG	GRESS MATHEMATICS, GRADE 8
Investiga data.	ate patterns of association in bivariate		
8.SP.A.1.	Construct and interpret scatter plots for bivariate measurement data to investigate patterns of association between two quantities. Describe patterns such as clustering, outliers, positive or negative association, linear association, and nonlinear association.	Lesson 37	Construct and Interpret Scatter Plots—pp. 322–329
8.SP.A.2.	Know that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, informally fit a straight line, and informally assess the model fit by judging the closeness of the data points to the line.	Lesson 38	Fit Linear Models to Data—pp. 330–337
8.SP.A.3.	Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercept. For example, in a linear model for a biology experiment, interpret a slope of 1.5 cm/hr as meaning that an additional hour of sunlight each day is associated with an additional 1.5 cm in mature plant height.	Lesson 39	Problem Solving: Use Linear Models —pp. 338–345
8.SP.A.4.	Understand that patterns of association can also be seen in bivariate categorical data by displaying frequencies and relative frequencies in a two-way table. Construct and interpret a two-way table summarizing data on two categorical variables collected from the same subjects. Use relative frequencies calculated for rows or columns to describe possible association between the two	Lesson 40	Analyze Data in Two-Way Tables—pp. 346–353



Statistics and Probability (SP)

EIGHTH GRADE STANDARDS / DESCRIPTION

SADLIER PROGRESS MATHEMATICS, GRADE 8

- continued from previous page -

variables. For example, collect data from students in your class on whether or not they have a curfew on school nights and whether or not they have assigned chores at home. Is there evidence that those who have a curfew also tend to have chores?