
SADLIER

New York Progress Mathematics

Standards-Based Instruction & Practice



Aligned to the

New York State Learning Standards for Mathematics (Revised 2017)

Grade 6

Contents

Ratios and Proportional Relationships	2
The Number System	3
Expressions, Equations, and Inequalities	6
Geometry	8
Statistics and Probability	9





Ratios and Proportional Relationships

	5p5	table Value
GRADE 6 NYS LEARNING STANDARDS FOR MATHEMATICS		OLIER NEW YORK PROGRESS MATHEMATICS, GRADE 6
A. Understand ratio concepts and use ratio reasoning to solve problems.		
One of the concept of a ratio and use ratio language to describe a ratio relationship between two quantities.	Lesson 1	Understand Ratios and Unit Rates—pp. 10-17
<u>ADDITIONAL CLARIFICATION/EXAMPLES</u> e.g., "The ratio of wings to beaks in the bird house at the zoo was 2:1, because for every 2 wings there was 1 beak." "For every vote candidate A received, candidate C received three votes."		
 6.RP.A.2 Understand the concept of a unit rate a/b associated with a ratio a:b with b≠0, and use rate language in the context of a ratio relationship 	Lesson 1	Understand Ratios and Unit Rates—pp. 10-17
ADDITIONAL CLARIFICATION/EXAMPLES Note: Expectations for unit rates in this grade are limited to non-complex fractions.		
A complex fraction is a fraction that contains another fraction in its numerator and/or denominator: $\frac{p}{q} \\ \frac{m}{m}$ e.g., "This recipe has a ratio of 3 cups of flour to 4 cups of sugar, so		
there are ¾ cup of flour for each cup of sugar." "We paid \$75 for 15 hamburgers, which is a rate of \$5 per hamburger."		
Use ratio and rate reasoning to solve real-world and mathematical problems. ADDITIONAL CLARIFICATION/EXAMPLES	Lesson 8	Problem Solving: Ratios and Rates—pp. 66–73
<u>Note</u> : Instructionally, students should be exposed to strategies that include but are not limited to the following: tables of equivalent ratios, tape diagrams, double number line, and equations. When solving problems independently, students may utilize a strategy of their choice.		
6.RP.A.3a 3a. Make tables of equivalent ratios relating quantities	Lesson 2	Use Ratio Tables to Find Equivalent Ratios—pp. 18–25
with whole-number measurements, find missing values in the tables, and plot the pairs of values on the coordinate plane. Use tables to compare ratios.	Lesson 3	Use Ratio Tables to Compare Ratios —pp. 26-33
6.RP.A.3b 3b. Solve unit rate problems.	Lesson 4	Solve Unit Rate Problems—pp. 34–41
ADDITIONAL CLARIFICATION/EXAMPLES Note: Problems may include unit pricing and constant speed.		

mowed?

e.g., if it took 7 hours to mow 4 lawns, then at that rate, how many lawns could be mowed in 35 hours? At what rate were lawns being



Ratios and Proportional Relationships

GRADE 6 NYS LEARNING STANDARDS FOR MATHEMATICS	Sadlier New York Progress Mathematics, Grade 6	
6.RP.A.3c	Lesson 5	Calculate a Percent of a Quantity—pp. 42–49
3c. Find a percent of a quantity as a rate per 100. Solve problems that involve finding the whole given a part and the percent, and finding a part of a whole given the percent.	Lesson 6	Find the Whole Given a Part and the Percent—pp. 50–57
ADDITIONAL CLARIFICATION/EXAMPLES		
e.g., 30% of a quantity means 30/100 times the quantity.		
6.RP.A.3d	Lesson 7	Convert Measurement Units—pp. 58-65
 Use ratio reasoning to convert measurement units; manipulate and transform units appropriately when multiplying or dividing quantities. 		
ADDITIONAL CLARIFICATION/EXAMPLES		
Note: Conversion of units occur within a given measurement		
system, not across different measurement systems.		

The Number System

GRADE 6 NYS	LEARNING STANDARDS	FOR MATHEMATICS
-------------	--------------------	-----------------

A. Apply and extend previous understandings of multiplication and division to divide fractions by fractions.

6.NS.A.1

 Interpret and compute quotients of fractions, and solve word problems involving division of fractions by fractions.

ADDITIONAL CLARIFICATION/EXAMPLES

<u>Note</u>: Instructionally, students should be exposed to strategies that include but are not limited to the following: using visual fraction models, a standard algorithm, and equations to represent the problem. When solving problems independently, students may utilize a strategy of their choice.

e.g., create a story context $(\frac{2}{3}) \div (\frac{3}{4})$ and use a visual fraction model to show the quotient; use the relationship between multiplication and division to explain that $(\frac{2}{3}) \div (\frac{3}{4}) = \frac{8}{9}$ because o_9^8 f is $\frac{2}{3}$.

How much chocolate will each person get if 3 people share $\frac{1}{2}$ lb of chocolate equally?

How many $\frac{3}{4}$ cup servings are in $\frac{2}{3}$ of a cup of yogurt?

How wide is a rectangular strip of land with length $\frac{3}{4}$ mi and area $\frac{1}{2}$ square mi?

In general, $(\frac{a}{b}) \div (\frac{c}{d}) = \frac{ad}{bc}$

Lesson 9	Divide a Fraction by a Fraction—pp. 80–87
Lesson 10	Problem Solving: Fraction Division—pp. 88-95





6 1 1 4 1	1 4 14 4
mauta fluanthu with	multi-digit number

B. Compute and find common factors and multiples.

6.NS.B.2

Fluently divide multi-digit numbers using the standard algorithm.

ADDITIONAL CLARIFICATION/EXAMPLES

Note: This standard is a fluency expectation for grade 6. For more guidance, see Fluency in the Glossary of Verbs Associated with the New York State Math Standards.

3. Fluently add, subtract, multiply, and divide multi-digit decimals using the standard algorithm for each operation.

ADDITIONAL CLARIFICATION/EXAMPLES

Note: This standard is a fluency expectation for grade 6. For more guidance, see Fluency in the Glossary of Verbs Associated with the New York State Math Standards.

6.NS.B.4

4. Find the greatest common factor of two whole numbers less than or equal to 100. Use the distributive property to express a sum of two whole numbers 1-100 with a common factor as a multiple of a sum of two whole numbers with no common factor other than 1. Find the least common multiple of two whole numbers less than or equal to 12.

ADDITIONAL CLARIFICATION/EXAMPLES

e.g., express 36 + 8 as 4(9 + 2).

C. Apply and extend previous understandings of numbers to the system of rational numbers.

6.NS.C.5

Understand that positive and negative numbers are used together to describe quantities having opposite directions or values. Use positive and negative numbers to represent quantities in real-world contexts, explaining the meaning of 0 in each situation.

ADDITIONAL CLARIFICATION/EXAMPLES

e.g., temperature above/below zero, elevation above/below sea level, debits/credits, positive/negative electric charge.

SADLIER	PROGRESS	MATHEMAT	TCS, GRADE 6

Lesson 11 Divide Multi-digit Numbers—pp. 96-103

Lesson 12 Add and Subtract Multi-digit Decimals—pp.

Multiply and Divide Multi-digit Decimals—pp. Lesson 13 112-119

Lesson 14 **Find the Greatest Common Factor and Least** Common Multiple—pp. 120-127

Understand Positive and Negative Numbers Lesson 15 and Opposites—pp. 128-135



The Number System

GRADE 6 NYS LEARNING STANDARDS FOR MATHEMATICS		Sadlier Progress Mathematics, Grade 6
5.NS.C.6 5. Understand a rational number as a point on the number line. Use number lines and coordinate axes to represent points on a number line and in the coordinate plane with negative number coordinates.		
6.NS.A.6a 6a. Recognize opposite signs of numbers as indicating locations on opposite sides of 0 on the number line. Recognize that the opposite of the opposite of a number is the number itself. ADDITIONAL CLARIFICATION/	Lesson 15	Understand Positive and Negative Number and Opposites—pp. 128–135
e.g., with the number 3, $-(-3) = 3$, and that 0 is its own opposite.		
 6.NS.A.6b 6b. Understand signs of numbers in ordered pairs as indicating locations in quadrants of the coordinate plane. Recognize that when two ordered pairs differ only by signs, the locations of the points are related by reflections across one or both axes. 	Lesson 16	Locate Points with Rational Coordinates— 136–143
6.NS.A.2c 6c. Find and position integers and other rational numbers on a horizontal or vertical number line. Find and position pairs of integers and other rational numbers on a coordinate plane.	Lesson 16	Locate Points with Rational Coordinates— 136–143
NS.C.7 Understand ordering and absolute value of rational numbers.		
6.NS.C.7a 7a. Interpret statements of inequality as statements about the relative position of two numbers on a number line diagram. ADDITIONAL CLARIFICATION/EXAMPLES	Lesson 17	Compare and Order Rational Numbers—p 144–151
e.g., interpret $-3 > -7$ as a statement that -3 is located to the right of -7 on a number line oriented from left to right.		
6.NS.C.7b 7b. Write, interpret, and explain statements of order for rational numbers in real-world contexts.	Lesson 17	Compare and Order Rational Numbers—p 144–151
ADDITIONAL CLARIFICATION/EXAMPLES e.g., write -3° C > -7° C to express the fact that -3° C is warmer than -7° C.		
6.NS.C.7c 7c. Understand the absolute value of a rational number as its distance from 0 on the number line. Interpret absolute value as magnitude for a positive or negative quantity in a real-world situation.	Lesson 18	Understand Absolute Value—pp. 152-159
ADDITIONAL CLARIFICATION/EXAMPLES e.g., for an account balance of -30 dollars, write $ -30 = 30$ to describe the size of the debt in dollars.		





GRADE 6 NYS LEARNING STANDA	RDS FOR MATHEMATICS
-----------------------------	---------------------

6.NS.C.7d

7d. Distinguish comparisons of absolute value from statements about order.

ADDITIONAL CLARIFICATION/EXAMPLES

e.g., someone with a balance of \$100 in their bank account has more money than someone with a balance of -\$1000, because 100 > -1000. But, the second person's debt balance is much greater than the first person's credit balance because |-1000| > |100|.

6.NS.C.8

 Solve real-world and mathematical problems by graphing points in all four quadrants of the coordinate plane. Include use of coordinates and absolute value to find distances between points with the same first coordinate or the same second coordinate.

SADLIER PROGRESS MATHEMATICS, GRADE 6

Lesson 18 Understand Absolute Value—pp. 152–159

Lesson 19 Problem Solving: The Coordinate Plane—pp. 160–167

Expressions, Equations and Inequalities

GRADE 6 NYS LEARNING STANDARDS FOR MATHEMATICS			SADLIER PROGRESS MATHEMATICS, GRADE 6
	Apply and extend previous understandings arithmetic to algebraic expressions.		
6.E 1.	E.A.1 Write and evaluate numerical expressions involving whole-number exponents.	Lesson 20	Write and Evaluate Numerical Expressions with Exponents —pp. 174–181
6.E 2.	E.A.2 Write, read, and evaluate expressions in which letters stand for numbers.		
	6.EE.A.2a2a. Write expressions that record operations with numbers and with letters standing for numbers.	Lesson 21	Write Algebraic Expressions to Record Operations—pp. 182–189
	ADDITIONAL CLARIFICATION/EXAMPLES e.g., express the calculation "Subtract y from 5" as $5 - y$.		
	6.EE.A.2b 2b. Identify parts of an expression using mathematical terms (term, coefficient, sum, difference, product, factor and quotient); view one or more parts of an expression as a single entity.	Lesson 22	Identify Parts of an Expression—pp. 190–197
	ADDITIONAL CLARIFICATION/EXAMPLES e.g., by describe the expression 2 $(8+7)$ as a product of two factors; view $(8+7)$ as both a single entity and a sum of two terms.		
	6.EE.A.2c 2c. Evaluate expressions given specific values for their variables. Include expressions that arise from formulas in real-world problems. Perform arithmetic operations, including those involving whole-number exponents, in the conventional order. (Order of Operations).	Lesson 23	Evaluate Algebraic Expressions—pp. 198–205



Expressions, Equations and Inequalities

Grade 6 NYS Learning Standards for Mathematics		SADLIER PROGRESS MATHEMATICS, GRADE 6
ADDITIONAL CLARIFICATION/EXAMPLES Note: Expressions may or may not include parentheses. Nested grouping symbols are not included. e.g., use the formulas $V = s^3$ and $A = 6 s^2$ to find the volume and surface area of a cube with sides of length $s = 1/2$.		
6.EE.A.33. Apply the properties of operations to generate equivalent expressions.	Lesson 24	Generate and Identify Equivalent Expressions—pp. 206–213
ADDITIONAL CLARIFICATION/EXAMPLES e.g., apply the distributive property to the expression $3(2 + x)$ to produce the equivalent expression $6 + 3x$; apply the distributive property to the expression $24x + 18y$ to produce the equivalent expression $6(4x + 3y)$; apply properties of operations to $y + y + y$ to produce the equivalent expression $3y$.		
6.EE.A.4 4. Identify when two expressions are equivalent. ADDITIONAL CLARIFICATION/EXAMPLES e.g., the expressions $y + y + y$ and $3y$ are equivalent because they name the same number regardless of which number y stands for.	Lesson 24	Generate and Identify Equivalent Expressions—pp. 206–213
B. Reason about and solve one-variable equations and inequalities. 6.EE.B.5 5. Understand solving an equation or inequality as a process of answering a question: which values from a specified set, if any, make the equation or inequality true? Use substitution to determine whether a given number in a	Lesson 25	Identify Solutions to Equations and Inequalities—pp. 214–221
specified set makes an equation or inequality true.		
6.EE.B.6	Lesson 26	Write Algebraic Expressions to Represent Problems—pp. 222–229
6.EE.B.6 6. Use variables to represent numbers and write expressions when solving a real-world or mathematical problem. Understand that a variable can represent an unknown number, or, depending on the purpose at hand, any number in a specified set. 6.EE.B.7 7. Solve real-world and mathematical problems by writing	Lesson 26	
6.EE.B.6 6. Use variables to represent numbers and write expressions when solving a real-world or mathematical problem. Understand that a variable can represent an unknown number, or, depending on the purpose at hand, any number in a specified set. 6.EE.B.7		Problems—pp. 222–229 Solve Equations of the Form x + p = q—pp.



Expressions, Equations and Inequalities

GRADE 6 NYS LEARNING STANDARDS FOR MATHEMATICS

C. Represent and analyze quantitative relationships between dependent and independent variables.

6.EE.C.9

9. Use variables to represent two quantities in a real-world problem that change in relationship to one another. Given a verbal context and an equation, identify the dependent variable, in terms of the other quantity, thought of as the independent variable. Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation.

ADDITIONAL CLARIFICATION/EXAMPLES

e.g., in a problem involving motion at constant speed, list and graph ordered pairs of distances and times, and given the equation d = 65t to represent the relationship between distance and time.

SADLIER PROGRESS MATHEMATICS, GRADE 6

Lesson 30 Represent Relationships Between Variables pp. 254–261

Geometry

CDADE 6 NVC	LEADNING STANDA	ARDS FOR MATHEMATICS	
GRADE O N I 3	LEARINING STAINDA	ANDS FOR IVIAL HEIVIALICS	٠.

A. Solve real-world and mathematical problems involving area, surface area, and volume.

6.G.A.1

 Find area of triangles, trapezoids, parallelograms, and other polygons by composing into rectangles or decomposing into triangles and quadrilaterals; apply these techniques in the context of solving real-world and mathematical problems.

6.G.A.2

Find volumes of right rectangular prisms with fractional edge lengths in the context of solving real-world and mathematical problems.

6.G.A.3

 Draw polygons in the coordinate plane given coordinates for the vertices. Use coordinates to find the length of a side joining points with the same first coordinate or the same second coordinate. Apply these techniques in the context of solving real-world and mathematical problems.

6.G.A.4

Represent three-dimensional figures using nets made up
of rectangles and triangles, and use the nets to find the
surface area of these figures. Apply these techniques in
the context of solving real-world and mathematical
problems.

SADLIER PROGRESS MATHEMATICS, GRADE 6

Lesson 31 Find Areas of Parallelograms and Triangles pp. 268–275

Lesson 32 Find Areas of Polygons—pp. 276–283

Lesson 33 Find Volumes of Rectangular Prisms—pp. 284–

Lesson 34 Plot and Analyze Polygons in the Coordinate Plane—pp. 292–299

Lesson 35 Use Nets to Find Surface Area—pp. 300–307





GRADE 6 NVS	FARNING STANDARDS	FOR MATHEMATICS
(TRADE DINTS	LEARNING STANDARDS	FOR MATHEMATICS

ADDITIONAL CLARIFICATION/EXAMPLES

<u>Note</u>: Three-dimensional figures include: right rectangular prisms and pyramids and right triangular prisms. When finding surface areas, slant heights for triangles will be given, as well as all necessary edge lengths.

6.G.A.5

5. Use area and volume models to explain perfect squares and perfect cubes.

SADLIER PROGRESS MATHEMATICS, GRADE

Lesson 32	Grade 6 related content— Find Areas of Polygons—pp. 276–283
Lesson 33	Find Volumes of Rectangular Prisms—pp. 284–291
Lesson 2	Grade 8 Use Rational Approximations of Irrational Numbers (perfect squares)—pp. 18–25
Lesson 6	Evaluate Square Roots and Cube Roots (perfect cubes)—pp. 56–63

Statistics and Probability

CDADE 6 NVC	LEVDNING ET	A NID A DDC FOR	MATHEMATICS
GRADE O IN I 3	LEANINING SI	ANDANDS FOR	IMALDEMATICS

A. Develop understanding of statistical variability.

6.SP.A.1

6.SP.A.1a

 Recognize that a statistical question is one that anticipates variability in the data related to the question and accounts for it in the answers.

ADDITIONAL CLARIFICATION/EXAMPLES

e.g., "How old am 1?" is not a statistical question, but "How old are the students in my school?" is a statistical question because one anticipates variability in students' ages.

6.SP.A.1b

1b. Understand that statistics can be used to gain information about a population by examining a sample of the population; generalizations about a population from a sample are valid only if the sample is representative of that population.

ADDITIONAL CLARIFICATION/EXAMPLES

<u>Note</u>: Students need to understand that data are generated with respect to particular contexts or situations and can be used to answer questions about context or situation.

6.SP.A.1c

 Develop the concept of sampling when collecting data (qualitative or quantitative) from a population and decide the best method to collect data for a particular question.

SADLIER PROGRESS MATHEMATICS, GRADE 6

Grade 6

Lesson 36 Understand Statistical Questions and Describe Data—pp. 314–321

Grade 7

Lesson 30


Lesson 30

Understand Sampling (representative samples and populations)—pp. 266–273

Grade 7

Understand Sampling (statistical sampling, populations, biased samples)—pp. 266–273





ADDITIONAL CLARIFICATION/EXAMPLES

Note: Students need to determine when collected data or display of data may be biased.

2. Understand that a set of quantitative data collected to answer a statistical question has a distribution which can be described by its center, spread, and overall shape.

ADDITIONAL CLARIFICATION/EXAMPLES

Notes: Students need to determine and justify the most appropriate graph to display a given set of data (pictograph, bar graph, histogram,

Students extend their knowledge of symmetric shapes, to describe data displayed in dot plots and histograms in terms of symmetry. They identify clusters, peaks and gaps, recognizing common shapes and patterns in these displays of data distributions and ask why a distribution takes on a particular shape for the context of the variable being considered.

6.SP.A.3

Recognize that a measure of center for a quantitative data set summarizes all of its values with a single number while a measure of variation describes how its values vary with a single number.

ADDITIONAL CLARIFICATION/EXAMPLES

Note: Measures of location for describing a center are mean, median and mode. The measure of variation is the range.

B. Summarize and describe distributions.

6.SP.B.4

Display quantitative data in plots on a number line, including dot plots, and histograms.

Lesson 37	Grade 6 Find the Median and Interquartile Range—pp. 322–329
Lesson 38	Find the Mean and Mean Absolute Deviation—pp. 330–337

	Graae 6
Lesson 36	Understand Statistical Questio
	Describe Data (introduce dot pl
	displaying quantitative data)—p

C.. - J - C

Grade 6

322-329

Lesson 36

Lesson 37

Lesson 37

plots)-pp. 322-329 Lesson 38 **Find the Mean and Mean Absolute Deviation** (dot plots)—pp. 330-337

Lesson 39 Display Numerical Data (dot plots, histograms, bar graphs)—pp. 338-345

Lesson 40 Summarize Numerical Data (dot plots)—pp. 346-353

6.SP.B.5

5. Summarize numerical data sets in relation to their context, such as by:

6.SP.B.5a

5a. Reporting the number of observations.

6.SP.B.5b

5b. Describing the nature of the attribute under investigation, including how it was measured and its units of measurement.

Grade 6

Lesson 40 **Summarize Numerical Data**—pp. 346–353





CDADE 6 NVC I	EADMING STANDARD	C FOR MATHEMATICS

6.SP.B.5c

5c. Calculate range and measures of center, as well as describe any overall pattern and any striking deviations from the overall pattern with reference to the context in which the data was gathered.

ADDITIONAL CLARIFICATION/EXAMPLES

<u>Note</u>: Measures of location for describing a center are mean, median and mode. The measure of variation is the range. Role of outliers should be discussed, but no formula required.

6.SP.B.5d

5d. Relate the range and the choice of measures of center to the shape of the data distribution and the context in which the data was gathered.

ADDITIONAL CLARIFICATION/EXAMPLES

Note: Measures of location for describing a center are mean, median and mode. The measure of variation is the range.

C. Investigate chance processes and develop, use, and evaluate probability models.

6.SP.C.6

6. Understand that the probability of a chance event is a number between 0 and 1 inclusive, that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.

ADDITIONAL CLARIFICATION/EXAMPLES

<u>Note</u>: Measures of location for describing a center are mean, median and mode. The measure of variation is the range.

6.SP.C.7

 Approximate the probability of a chance simple event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability.

ADDITIONAL CLARIFICATION/EXAMPLES

Note: Compound events are introduced in grade 7.

e.g., when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probably not exactly 200 times.

	SADLIER PROGRESS MATHEMATICS, GRADE 6
Lesson 37	Grade 6 Find the Median and Interquartile Range (range, measures of center)—pp. 322–329
Lesson 38	Find the Mean and Mean Absolute Deviation (measures of center)—pp. 330–337
Lesson 39	Display Numerical Data (range)—pp. 338–345
Lesson 40	Summarize Numerical Data (measures of center, outliers)—pp. 346–353
Lesson 37	Grade 6 Find the Median and Interquartile Range (measure of variation, measures of center)—pp. 322–329
Lesson 38	Find the Mean and Mean Absolute Deviation (measures of center)—pp. 330–337
Lesson 39	Display Numerical Data (range)—pp. 338–345
Lesson 40	Summarize Numerical Data (measures of center)—pp. 346–353

Grade 7

Lesson 34 Understand Probability of a Chance Event pp. 298–305

Grade 7
Lesson 35 Relate Relative Frequency and Probability—
pp. 306–313



Statistics and Probability

	Grade 6 NYS Learning Standards for Mathematics			SADLIER PROGRESS MATHEMATICS, GRADE 6
6.SI	P.C.8			
8.	Develop a probability model and use it to find probabilities of simple events. Compare probabilities from a model to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy.			
	6.SP.C.8a			Grade 7
	5a. Develop a uniform probability model by assigning equal probability to all outcomes, and use the model to determine probabilities of simple events.	Le	esson 36	Develop a Uniform Probability Model —pp. 314–321
	ADDITIONAL CLARIFICATION/EXAMPLES			
	e.g., the probability of rolling a six-sided fair number cube and landing on a 2 is 16. The probability of landing on an even number is 36.			
	6.SP.C.8b			Grade 7
	 Develop a probability model (which may not be uniform) by observing frequencies in data generated from a chance process. 	Le	esson 37	Use a Chance Process to Develop a Probabilit Model—pp. 322–329
	ADDITIONAL CLARIFICATION/EXAMPLES			
	e.g., find the approximate probability that a spinning penny will land heads up or that a tossed paper cup will land open-end down. Do the outcomes for the spinning penny appear to be equally likely based on the observed frequencies?			