

Correlation to the Mathematics Georgia Standards of Excellence





Learn more at www.SadlierSchool.com/SadlierMath



OPERATIONS AND ALGEBRAIC THINKING

4.0A

Grade 4 Content Standards

Sadlier Math, Grade 4

Use the four operations with whole numbers to solve problems.

MGSE4.OA.1 Understand that a multiplicative comparison is a situation in which one quantity is multiplied by a specified number to get another quantity.

 a. Interpret a multiplication equation as a comparison e.g., interpret 35 = 5 × 7 as a statement that 35 is 5 times as many as 7 and 7 times as many as 5. 	Chapter 4: 4-5 Chapter 5: 5-5
 Represent verbal statements of multiplicative comparisons as multiplication equations. 	Chapter 4: 4-5 Chapter 5: 5-5
MGSE4.OA.2 Multiply or divide to solve word problems involving multiplicative comparison, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem, distinguishing multiplicative comparison from additive comparison.	Chapter 4: 4-5 Chapter 5: 5-5 Chapter 7: 7-6 Chapter 8: 8-8
MGSE4.OA.3 Solve multistep word problems posed with whole numbers and having whole- number answers using the four operations, including problems in which remainders must be interpreted. Represent these problems using equations with a letter standing for the unknown quantity. Assess the reasonableness of answers using mental computation and estimation strategies including rounding.	Chapter 2: 2-1 through 2-3 Chapter 3: 3-1 & 3-6 Chapter 4: 4-4 Chapter 7: 7-3 Chapter 8: 8-1 & 8-3
Gain familiarity with factors and multiples.	
MGSE4.OA.4 Find all factor pairs for a whole number in the range 1–100. Recognize that a whole number is a multiple of each of its factors. Determine whether a given whole number in the range 1–100 is a multiple of a given one-digit number. Determine whether a	Chapter 9: 9-1 through 9-5

continued



Grade 4 Content Standards	Sadlier Math, Grade 4	
given whole number in the range 1-100 is prime or composite.		
Generate and analyze patterns.		
MGSE4.OA.5 Generate a number or shape pattern that follows a given rule. Identify apparent features of the pattern that were not explicit in the rule itself. For example, given the rule "Add 3" and the starting number 1, generate terms in the resulting sequence and observe that the terms appear to alternate between odd and even numbers.	Chapter 7: 7-5 Chapter 17: 17-5	
NUMBER AND OPERATIONS IN BASE	TEN ²⁰	4.NBT
Grade 4 Content Standards	Sadlier Math, Grade 4	
Generalize place value understanding for multi-digit whole numbers.		
MGSE4 NBT1 Pecognize that in a multi-digit		
whole number, a digit in one place represents ten times what it represents in the place to its right. For example, recognize that 700 ÷ 70 = 10 by applying concepts of place value and division.	Chapter 1: 1-2 & 1-3	
 whole number, a digit in one place represents ten times what it represents in the place to its right. For example, recognize that 700 ÷ 70 = 10 by applying concepts of place value and division. MGSE4.NBT.2 Read and write multi-digit whole numbers using base-ten numerals, number names, and expanded form. Compare two multi-digit numbers based on meanings of the digits in each place, using >, =, and < symbols to record the results of comparisons. 	Chapter 1: 1-2 & 1-3 Chapter 1: 1-1 through 1-6	



NUMBER AND OPERATIONS IN BASE	TEN ²⁰ 4.NBT	
Grade 4 Content Standards	Sadlier Math, Grade 4	
Use place value understanding and properties of operations to perform multi-digit arithmetic.		
MGSE4.NBT.4 Fluently add and subtract multi- digit whole numbers using the standard algorithm.	Chapter 2: 2-2, 2-4 through 2-6 Chapter 3: 3-2 through 3-5	
MGSE4.NBT.5 Multiply a whole number of up to four digits by a one-digit whole number, and multiply two two-digit numbers, using strategies based on place value and the properties of operations. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.	Chapter 4: 4-1 through 4-3 Chapter 5: 5-1 through 5-5 Chapter 6: 6-1 through 6-5 Chapter 8: 8-7	
MGSE4.NBT.6 Find whole-number quotients and remainders with up to four-digit dividends and one-digit divisors, using strategies based on place value, the properties of operations, and/ or the relationship between multiplication and division. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.	Chapter 7: 7-1, 7-2 & 7-4 Chapter 8: 8-1 through 8-7	
NUMBER AND OPERATIONS – FRACTIONS ²¹ 4.NF		

Grade 4 Content Standards

Sadlier Math, Grade 4

Extend understanding of fraction equivalence and ordering.

MGSE4.NF.1 Explain why two or more fractions
are equivalent $\frac{a}{b} = \frac{n \times a}{n \times b}$ ex. $\frac{1}{4} = \frac{3 \times 1}{3 \times 4}$ by using
visual fraction models. Focus attention to how
the number and size of the parts differ even
though the two fractions themselves are the
same size. Use this principle to recognize and
generate equivalent fractions.**Chapter 10: 10-1 through 10-6**

²¹Grade 4 expectations in this domain are limited to fractions with denominators 2, 3, 4, 5, 6, 8, 10, 12, and 100.







NUMBER AND OPERATIONS — FRACTIONS ²¹		4.NF	
Grade 4 C	ontent Standards	Sadlier Math, Grade 4	
MGSE4.NF.2 Compare different numerato denominators, e.g., denominators or nu to a benchmark fra that comparisons a fractions refer to th results of comparis and justify the comp	The two fractions with rs and different by creating common umerators, or by comparing ction such as $\frac{1}{2}$. Recognize re valid only when the two he same whole. Record the ons with symbols >, =, or <, clusions.	Chapter 10: 10-7 through 10-11	
Build fractions from unit fractions by applying and extending previous understandings of operations on whole numbers.			
MOSE4.NF.S Onderso		$\frac{1}{b}$	
a. Understand add fractions as joir referring to the	dition and subtraction of ling and separating parts same whole.	Chapter 11: 11-1 through 11-5	
b. Decompose a f fractions with t in more than or decomposition decompositions fraction model. 1/8 ; 3/8 = 1/8 + 8/8 + 8/8 + 1/8	raction into a sum of the same denominator the way, recording each by an equation. Justify s, e.g., by using a visual <i>Examples: 3/8 = 1/8 + 1/8 +</i> • 2/8 ; 2 1/8 = 1 + 1 + 1/8 =	Chapter 11: 11-2 through 11-4	
c. Add and subtra like denominato mixed number and/or by using and the relation subtraction.	ct mixed numbers with ors, e.g., by replacing each with an equivalent fraction, g properties of operations aship between addition and	Chapter 10: 10-9 Chapter 11: 11-6 through 11-8	





NUMBER AND OPERATIONS — FRACT	IONS ²¹ 4.NF	
Grade 4 Content Standards	Sadlier Math, Grade 4	
 d. Solve word problems involving addition and subtraction of fractions referring to the same whole and having like denominators, e.g., by using visual fraction models and equations to represent the problem. 	Chapter 11: 11-1 through 11-5	
MGSE4.NF.4 Apply and extend previous understandings of multiplication to multiply a fraction by a whole number.		
a. Understand a fraction a/b as a multiple of 1/b. For example, use a visual fraction model to represent 5/4 as the product 5 × (1/4), recording the conclusion by the equation 5/4 = 5 × (1/4).	Chapter 12: 12-1 through 12-4	
 b. Understand a multiple of a/b as a multiple of 1/b, and use this understanding to multiply a fraction by a whole number. For example, use a visual fraction model to express 3 × (2/5) as 6 × (1/5), recognizing this product as 6/5. (In general, n × (a/b) = (n × a)/b.) 	Chapter 12: 12-1 through 12-5	
c. Solve word problems involving multiplication of a fraction by a whole number, e.g., by using visual fraction models and equations to represent the problem. For example, if each person at a party will eat 3/8 of a pound of roast beef, and there will be 5 people at the party, how many pounds of roast beef will be needed? Between what two whole numbers does your answer lie?	Chapter 12: 12-1 through 12-7	
Understand decimal notation for fractions, and compare decimal fractions.		
MGSE4.NF.5 Express a fraction with denominator 10 as an equivalent fraction with denominator 100, and use this technique to add two fractions <i>continued</i>	Chapter 13: 13-1 through 13-5	

www.SadlierSchool.com/SadlierMath • 800-221-5175



NUMBER AND OPERATIONS — FRACTIONS ²¹	
Grade 4 Content Standards	Sadlier Math, Grade 4
with respective denominators 10 and 100. ²² For example, express 3/10 as 30/100, and add 3/10 + 4/100 = 34/100.	
MGSE4.NF.6 Use decimal notation for fractions with denominators 10 or 100. For example, rewrite 0.62 as 62/100; describe a length as 0.62 meters; locate 0.62 on a number line diagram.	Chapter 13: 13-3 through 13-5
MGSE4.NF.7 Compare two decimals to hundredths by reasoning about their size. Recognize that comparisons are valid only when the two decimals refer to the same whole. Record the results of comparisons with the symbols >, =, or <, and justify the conclusions, e.g., by using a visual model.	Chapter 13: 13-6 & 13-7

MEASUREMENT AND DATA

Grade 4 Content Standards

Sadlier Math, Grade 4

Solve problems involving measurement and conversion of measurements.

MGSE4.MD.1 Know relative sizes of measurement units within one system of units including km, m, cm; kg, g; lb, oz.; l, ml; hr, min, sec.

a.	Understand the relationship between gallons, cups, quarts, and pints.	Chapter 14: 14-3
b.	Express larger units in terms of smaller units within the same measurement system.	Chapter 14: 14-1 through 14-10
C.	Record measurement equivalents in a two-column table.	Chapter 14: 14-2 through 14-4, 14-7, 14-8 & 14-10 Chapter 14: 14-1 through 14-10

²²Students who can generate equivalent fractions can develop strategies for adding fractions with unlike denominators in general. But addition and subtraction with unlike denominators in general is not a requirement at this grade.

4.MD





Sadlier Math[™] Grade 4 Correlation to the Mathematics Georgia Standards of Excellence (GSE)

Grade 4 Content Standards

MEASUREMENT AND DATA

continued

www.SadlierSchool.com/SadlierMath • 800-221-5175

MGSE4.MD.2 Use the four operations to solve word problems involving distances, intervals of time, liquid volumes, masses of objects, and money, including problems involving simple fractions or decimals, and problems that require expressing measurements given in a larger unit in terms of a smaller unit. Represent measurement quantities using diagrams such as number line diagrams that feature a measurement scale.	Chapter 14: 14-1 through 14-9 Chapter 15: 15-1 through 15-3
MGSE4.MD.3 Apply the area and perimeter formulas for rectangles in real world and mathematical problems. <i>For example, find the</i> <i>width of a rectangular room given the area of</i> <i>the flooring and the length, by viewing the area</i> <i>formula as a multiplication equation with an</i> <i>unknown factor.</i>	Chapter 17: 17-6 & 17-7
Represent and interpret data.	
MGSE4.MD.4 Make a line plot to display a data set of measurements in fractions of a unit $(\frac{1}{2}, \frac{1}{4}, \frac{1}{8})$. Solve problems involving addition and subtraction of fractions by using information presented in line plots. For example, from a line plot find and interpret the difference in length between the longest and shortest specimens in an insect collection.	Chapter 15: 15-6 & 15-7
Geometric measurement: understand concepts of	of angle and measure angles.
MGSE4.MD.5 Recognize angles as geometric shape common endpoint, and understand concepts of a	es that are formed wherever two rays share a angle measurement:
a An angle is measured with reference to a	Chapter 1C: 1C 2

4.MD

Sadlier, School



Sadlier Math, Grade 4



Sadlier Math[™] Grade 4 Correlation to the Mathematics Georgia Standards of Excellence (GSE)

Sadlier School

MEASUREMENT AND DATA	4.MD
Grade 4 Content Standards	Sadlier Math, Grade 4
point of the rays, by considering the fraction of the circular arc between the points where the two rays intersect the circle. An angle that turns through 1/360 of a circle is called a "one-degree angle," and can be used to measure angles.	
b. An angle that turns through <i>n</i> one-degree angles is said to have an angle measure of <i>n</i> degrees.	Chapter 16: 16-1 & 16-2
MGSE4.MD.6 Measure angles in whole-number degrees using a protractor. Sketch angles of specified measure.	Chapter 16: 16-1 through 16-3
MGSE4.MD.7 Recognize angle measure as additive. When an angle is decomposed into non-overlapping parts, the angle measure of the whole is the sum of the angle measures of the parts. Solve addition and subtraction problems to find unknown angles on a diagram in real world and mathematical problems, e.g., by using an equation with a symbol for the unknown angle measure.	Chapter 16: 16-4
MGSE4.MD.8 Recognize area as additive. Find areas of rectilinear figures by decomposing them into non-overlapping rectangles and adding the areas of the non-overlapping parts, applying this technique to solve real world problems.	See Grade 3 Chapter 15: 15-5



GEOMETRY

4.G

Grade 4 Content Standards	Sadlier Math, Grade 4
Draw and identify lines and angles, and classify shapes by properties of their lines and angles.	
MGSE4.G.1 Draw points, lines, line segments, rays, angles (right, acute, obtuse), and perpendicular and parallel lines. Identify these in two-dimensional figures.	Chapter 16: 16-1 through 16-6
MGSE4.G.2 Classify two-dimensional figures based on the presence or absence of parallel or perpendicular lines, or the presence or absence of angles of a specified size. Recognize right triangles as a category, and identify right triangles.	Chapter 17: 17-1 through 17-3
MGSE4.G.3 Recognize a line of symmetry for a two-dimensional figure as a line across the figure such that the figure can be folded along the line into matching parts. Identify line- symmetric figures and draw lines of symmetry.	Chapter 17: 17-4

In Georgia resources and assessments, trapezoids are defined using the inclusive definition: At least one pair of parallel sides.

