


# ***Sadlier Math***<sup>™</sup>

Correlation to the Arizona Mathematics Standards

**Grade 6**



Learn more at [www.SadlierSchool.com/SadlierMath](http://www.SadlierSchool.com/SadlierMath)

**RATIOS AND PROPORTIONAL RELATIONSHIPS (RP)**

**Sixth Grade Content Standards**

**Sadlier Math, Grade 6**

**6.RP.A Understand ratio concepts and use ratio reasoning to solve problems.**

**6.RP.A.1** Understand the concept of a ratio as comparing two quantities multiplicatively or joining/composing the two quantities in a way that preserves a multiplicative relationship. Use ratio language to describe a ratio relationship between two quantities. *“For example, “There were  $\frac{2}{3}$  as many men as women at the concert.”*

**Chapter 10: 10-1**

**6.RP.A.2** Understand the concept of a unit rate  $\frac{a}{b}$  associated with a ratio  $a:b$  with  $b \neq 0$ , and use rate language in the context of a ratio relationship (e.g., for every, for each, for each 1, per) in the context of a ratio relationship. (Complex fraction notation is not an expectation for unit rates in this grade level.)

**Chapter 10: 10-6 through 10-9**

**6.RP.A.3** Use ratio and rate reasoning to solve mathematical problems and problems in real-world context (e.g., by reasoning about data collected from measurements, tables of equivalent ratios, tape diagrams, double number line diagrams, or equations).

a. Make tables of equivalent ratios relating quantities with whole-number measurements, find missing values in the tables, and plot the pairs of values on the coordinate plane. Use tables to compare ratios.

**Chapter 10: 10-2, 10-5, 10-7, 10-9 & 10-10**

b. Solve unit rate problems including those involving unit pricing and constant speed.

**Chapter 10: 10-6 through 10-9**

c. Find a percent of a quantity as a rate per 100 (e.g., 30% of a quantity means  $\frac{30}{100}$  times the quantity); solve problems involving finding the whole, given a part and the percent.

**Chapter 11: 11-1 through 11-10**

## RATIOS AND PROPORTIONAL RELATIONSHIPS (RP)

Sixth Grade Content Standards	Sadlier Math, Grade 6
d. Use ratio reasoning to convert measurement units; manipulate and transform units appropriately when multiplying or dividing quantities.	<b>Chapter 12: 12-1 through 12-4</b>

## THE NUMBER SYSTEM (NS)

Sixth Grade Content Standards	Sadlier Math, Grade 6
<b>6.NS.A Apply and extend previous understandings of multiplication and division to divide fractions by fractions.</b>	
<b>6.NS.A.1</b> Interpret and compute quotients of fractions, and solve word problems involving division of fractions by fractions, e.g., by using visual fraction models and equations to represent the problem. <i>For example, create a story context for <math>2/3 \div 3/4</math> and use a visual fraction model to show the quotient; use the relationship between multiplication and division to explain that <math>2/3 \div 3/4 = 8/9</math> because <math>3/4</math> of <math>8/9</math> is <math>2/3</math>. In general, <math>a/b \div c/d = ad/bc</math>.</i>	<b>Chapter 8: 8-3 through 8-11</b>
<b>6.NS.B Compute fluently with multi-digit numbers and find common factors and multiples.</b>	
<b>6.NS.B.2</b> Fluently divide multi-digit numbers using the standard algorithm.	<b>Chapter 3: 3-1</b>
<b>6.NS.B.3</b> Fluently add, subtract, multiply, and divide multi-digit decimals using the standard algorithm for each operation.	<b>Chapter 1: 1-1 through 1-3</b> <b>Chapter 2: 2-1 through 2-3</b> <b>Chapter 3: 3-2 through 3-7</b>
<b>6.RP.B.4</b> Use previous understanding of factors to find the greatest common factor and the least common multiple.	
a. Find the greatest common factor of two whole numbers less than or equal to 100.	<b>Chapter 6: 6-1 &amp; 6-2</b>

THE NUMBER SYSTEM (NS)	
Sixth Grade Content Standards	Sadlier Math, Grade 6
b. Find the least common multiple of two whole numbers less than or equal to 12.	<b>Chapter 6: 6-4</b>
c. Use the distributive property to express a sum of two whole numbers 1 to 100 with a common factor as a multiple of a sum of two whole numbers with no common factor. <i>For example, express <math>36 + 8</math> as <math>4(9+2)</math>.</i>	<b>Chapter 6: 6-3</b>
<b>6.NS.C Apply and extend previous understandings of numbers to the system of rational numbers.</b> <i>Note: Limit negative rational numbers to integers and fractions with denominators of 2, 3, 4, 5, 10.</i>	
<b>6.NS.C.5</b> Understand that positive and negative numbers are used together to describe quantities having opposite directions or values. Use positive and negative numbers to represent quantities in real-world context, explaining the meaning of 0 in each situation.	<b>Chapter 9: 9-2</b>
<b>6.NS.C.6</b> Understand a rational number can be represented as a point on the number line. Extend number line diagrams and coordinate axes familiar from previous grades to represent points on the line and in the plane with negative number coordinates.	
a. Recognize opposite signs of numbers as indicating locations on opposite sides of 0 on the number line; recognize that the opposite of the opposite of a number is the number itself and that 0 is its own opposite.	<b>Chapter 9: 9-1</b>
b. Understand signs of numbers in ordered pairs as indicating locations in quadrants of the coordinate plane; recognize that when two ordered pairs differ only by signs, the locations of the points are related by reflections across one or both axes.	<b>Chapter 9: 9-8</b>

THE NUMBER SYSTEM (NS)	
Sixth Grade Content Standards	Sadlier Math, Grade 6
c. Find and position integers and other rational numbers on a horizontal or vertical number line diagram; find and position pairs of integers and other rational numbers on a coordinate plane.	<b>Chapter 9: 9-1 through 9-3, 9-5 through 9-11</b>
<b>6.NS.C.7</b> Understand ordering and absolute value of rational numbers.	
a. Interpret statements of inequality as statements about the relative position of two numbers on a number line.	<b>Chapter 9: 9-3 &amp; 9-6</b>
b. Write, interpret, and explain statements of order for rational numbers in real-world context.	<b>Chapter 9: 9-3 &amp; 9-6</b>
c. Understand the absolute value of a rational number as its distance from 0 on the number line; interpret absolute value as magnitude for a positive or negative quantity in real-world context.	<b>Chapter 9: 9-3 &amp; 9-4</b>
d. Distinguish comparisons of absolute value from statements about order in mathematical problems and problems in real-world context.	<b>Chapter 9: 9-4</b>
<b>6.NS.C.8</b> Solve mathematical problems and problems in real-world context by graphing points in all four quadrants of the coordinate plane. Include use of coordinates and absolute value to find distances between points with the same first coordinate or the same second coordinate.	<b>Chapter 9: 9-7 through 9-11</b>

EXPRESSIONS AND EQUATIONS (EE)	
Sixth Grade Content Standards	Sadlier Math, Grade 6
<b>6.EE.A Apply and extend previous understandings of arithmetic to algebraic expressions.</b>	
<b>6.EE.A.1</b> Write and evaluate numerical expressions involving whole-number exponents.	<b>Chapter 4: 4-1 &amp; 4-2</b>
<b>6.EE.A.2</b> Write, read, and evaluate algebraic expressions.	
a. Write expressions that record operations with numbers and variables.	<b>Chapter 1: 1-4</b> <b>Chapter 2: 2-4</b> <b>Chapter 3: 3-8</b> <b>Chapter 4: 4-2 through 4-9</b> <b>Chapter 7: 7-5</b> <b>Chapter 8: 8-10</b>
b. Identify parts of an expression using mathematical terms (sum, term, product, factor, quotient, and coefficient); view one or more parts of an expression as a single entity.	<b>Chapter 1: 1-4</b> <b>Chapter 2: 2-1 &amp; 2-4</b> <b>Chapter 3: 3-8</b> <b>Chapter 4: 4-3</b>
c. Evaluate expressions given specific values of their variables. Include expressions that arise from formulas used to solve mathematical problems and problems in real-world context. Perform arithmetic operations, including those involving whole-number exponents, in the conventional order when there are no parentheses to specify a particular order (Order of Operations).	<b>Chapter 1: 1-5</b> <b>Chapter 2: 2-5</b> <b>Chapter 3: 3-9</b> <b>Chapter 4: 4-2, 4-6, 4-8 &amp; 4-9</b> <b>Chapter 7: 7-5</b> <b>Chapter 8: 8-10</b>
<b>6.EE.A.3</b> Apply the properties of operations to generate equivalent expressions. <i>For example, apply the distributive property to the expression <math>3(2 + x)</math> to produce the equivalent expression <math>6 + 3x</math>.</i>	<b>Chapter 4: 4-7</b>
<b>6.EE.A.4</b> Identify when two expressions are equivalent. <i>For example, the expressions <math>y + y + y</math> and <math>3y</math> are equivalent because they name</i> <i>continued</i>	<b>Chapter 4: 4-8</b>

EXPRESSIONS AND EQUATIONS (EE)	
Sixth Grade Content Standards	Sadlier Math, Grade 6
<i>the same number regardless of which number y stands for.</i>	
<b>6.EE.B Reason about and solve one-variable equations and inequalities.</b>	
<b>6.EE.B.5</b> Understand solving an equation or inequality as a process of reasoning to find the value(s) of the variables that make that equation or inequality true. Use substitution to determine whether a given number in a specified set makes an equation or inequality true.	<b>Chapter 5: 5-1 &amp; 5-6</b>
<b>6.EE.B.6</b> Use variables to represent numbers and write expressions when solving mathematical problems and problems in real-world context; understand that a variable can represent an unknown number or any number in a specified set.	<b>Chapter 4: 4-4</b> <b>Chapter 5: 5-2 through 5-4, 5-7 through 5-9</b>
<b>6.EE.B.7</b> Solve real-world and mathematical problems by writing and solving equations of the form $x + p = q$ and $px = q$ for cases in which $p$ , $q$ and $x$ are all nonnegative rational numbers.	<b>Chapter 5: 5-2 &amp; 5-3</b> <b>Chapter 7: 7-6</b> <b>Chapter 8: 8-11</b>
<b>6.EE.B.8</b> Write an inequality of the form $x > c$ or $x < c$ to represent a constraint or condition to solve mathematical problems and problems in real-world context. Recognize that inequalities have infinitely many solutions; represent solutions of such inequalities on number lines.	<b>Chapter 5: 5-5 through 5-8</b>
<b>6.EE.C Represent and analyze quantitative relationships between dependent and independent variables.</b>	
<b>6.EE.C.9</b> Use variables to represent two quantities that change in relationship to one another to solve mathematical problems and <i>continued</i>	<b>Chapter 13: 13-1 through 13-4</b>



## EXPRESSIONS AND EQUATIONS (EE)

Sixth Grade Content Standards	Sadlier Math, Grade 6
<p>problems in real-world context. Write an equation to express one quantity (the dependent variable) in terms of the other quantity (the independent variable). Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation.</p>	

## GEOMETRY (G)

Sixth Grade Content Standards	Sadlier Math, Grade 6
<p><b>6.G.A Solve mathematical problems and problems in real-world context involving area, surface area, and volume.</b></p>	
<p><b>6.G.A.1</b> Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques to solve mathematical problems and problems in real-world context.</p>	<p><b>Chapter 14: 14-1 through 14-3, 14-5 &amp; 14-6</b></p>
<p><b>6.G.A.2</b> Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Understand and use the formula <math>V = B \cdot h</math>, where in this case, <math>B</math> is the area of the base (<math>B = l \times w</math>) to find volumes of right rectangular prisms with fractional edge lengths in mathematical problems and problems in real-world context.</p>	<p><b>Chapter 15: 15-4 through 15-6</b></p>
<p><b>6.G.A.3</b> Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the</p> <p style="text-align: right;"><i>continued</i></p>	<p><b>Chapter 9: 9-10 &amp; 9-11</b></p>



## GEOMETRY (G)

Sixth Grade Content Standards	Sadlier Math, Grade 6
same second coordinate. Apply these techniques to solve mathematical problems and problems in a real-world context.	
<b>6.G.A.4</b> Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques to solve mathematical problems and problems in real-world context.	<b>Chapter 15: 15-1 through 15-3</b>

## STATISTICS AND PROBABILITY (SP)

Sixth Grade Content Standards	Sadlier Math, Grade 6
<b>6.SP.A Develop understanding of statistical variability.</b>	
<b>6.SP.A.1</b> Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for variability in the answers. <i>For example, “How old am I?” is not a statistical question, but “How old are the students in my school?” is a statistical question because one anticipates variability in students’ ages.</i>	<b>Chapter 16: 16-1</b>
<b>6.SP.A.2</b> Understand that a set of data collected to answer a statistical question has a distribution whose general characteristics can be described by its center, spread, and overall shape.	<b>Chapter 16: 16-2 through 16-5</b> <b>Chapter 17: 17-2 &amp; 17-4</b>
<b>6.SP.A.3</b> Recognize that a measure of center for a numerical data set summarizes all of its values with a single number, while a measure of variation uses a single number to describe the spread of the data set.	<b>Chapter 16: 16-2 through 16-4</b>

STATISTICS AND PROBABILITY (SP)	
Sixth Grade Content Standards	Sadlier Math, Grade 6
<b>6.SP.B Summarize and describe distributions.</b>	
<b>6.SP.B.4</b> Display and interpret numerical data by creating plots on a number line including histograms, dot plots, and box plots.	<b>Chapter 17: 17-1 through 17-3</b>
<b>6.SP.B.5</b> Summarize numerical data sets in relation to their context by:	
a. Reporting the number of observations.	<b>Chapter 16: 16-2 through 16-5</b> <b>Chapter 17: 17-1 through 17-4</b>
b. Describing the nature of the attribute under investigation including how it was measured and its units of measurement.	<b>Chapter 16: 16-2 through 16-5</b> <b>Chapter 17: 17-1 through 17-4</b>
c. Giving quantitative measures of center (median and/or mean) and variability (interquartile range and/or mean absolute deviation), as well as describing any overall pattern and any striking deviations from the overall pattern with reference to the context in which the data were gathered.	<b>Chapter 16: 16-2 through 16-5</b> <b>Chapter 17: 17-1 through 17-4</b>
d. Relating the choice of measures of center and variability to the shape of the data distribution and the context in which the data were gathered.	<b>Chapter 16: 16-2 through 16-5</b> <b>Chapter 17: 17-1 through 17-4</b>